ANNUAL INDEX

VOLUME 4
1969

AUTHORS

A

Aaes-Jørgensen, E. See G. Hølmer
—— and G. Hølmer. Essential fatty acid-deficient rats: I. Growth and testes development, 501
Ackman, R. G. See Joyce L. Beare-Rogers
Adamson, G. L. See R. P. Noble
Akiya, Toshimi, T. H. Madson and J. R. Chipault. Short communication re methyl octadecadienoates as protectors against inactivation of alkaline phosphatase by γ-radiation, 398
Allen, Arthur. See Richard J. Cenedella
Allen, Robert R. Short communication re the determination of *trans* isomers in GLC fractions of unsaturated esters, 627
Anderson, Robert E., Ronald D. Garrett, M. L. Blank and Fred Snyder. The quantitative production of aldehydes from O-alk-1-enyl glycerols, 327
Ansari, M. N. A. See N. Nicolaides
Argoudelis, C. J. See E. G. Perkins
Argrett, L. C. See C. R. Seward
Austern, Barry M. and Anthony M. Gawienowski. Short communication re in vitro biosynthesis of β-carotene by bovine corpus luteum tissue, 227

B

Barber, Albert A. See Edward J. Victoria
Bates, R. B. See K. L. Mikolajczak
Baxter, Claude F., George Rouser and Gerald Simon. Short communication re variations among vertebrates of lung phospholipids class composition, 243
Beare-Rogers, Joyce L. and R. G. Ackerman. Reaction of lipoxidase with polyenoic acids in marine oils, 441
Berry, James F., Thomas F. Fletcher and Magdaline Bovis. Short communication re phospholipid class and fatty acid composition of developing spinal cord in normal pigs and in congenital tremor (myoclonia congenita), 623
Bersten, Audrey M. See A. R. Johnson
Bieber, L. I. and R. E. Monroe. The relation of carnitine to the formation of phosphatidyl-β-methylcholine by *Tenebrio molitor* L. larvae, 293
Blank, M. L. See Robert E. Anderson
Bond, P. See B. Gerstl
Bovis, Magdaline. See James F. Berry
Boyer, James L. and Robert Scheig. Short communication re hepatic metabolism of 1-^{14}C octanoic and 1-^{14}C margaric acids, 615
Braeuler, C. L. See R. C. Charman
Breckenridge, W. C. See L. Marai
—— and A. Kuksis. Structure of bovine milk fat triglycerides: II. Long chain lengths, 197
Brenner, R. R. Short communication re reciprocal interactions in the desaturation of linoleic acid into γ-linolenic and eicosa-8,11,14-trienoic into arachidonic, 621
Bridges, Raymond B. See John G. Coniglio
Brooks, Thomas J., Jr. See Thomas M. Smith
Buide, N. See J. A. Fioriti
Burton, Robert M. See Shizuo Handa
—— Walter Lewis, III, and Mary Ann Sodd. The distribution and excretion of tritium labeled cerebroside (galactosyl ceramide) radioactivity by the monkey, 496
Buss, David H. Fatty acid composition of baboon milk lipids, 152
Byers, Sanford O. and Meyer Friedman. Probable sources of plasma cholesterol during phosphatide induced hypercholesterolemia, 123

C

Cater, Marilyn R. See Joseph H. Gans
Cenedella, Richard J. and Arthur Allen. Differences between the metabolism of linoleic and palmitic acid: Utilization for cholesterol synthesis and oxidation to respiratory CO_2, 155
Cerbulis, J. and M. Wight Taylor. Neutral lipid and fatty acid composition of earthworms (*Lumbricus terrestris*), 363
Chapman, Dennis. Physical studies of lipid-lipid and lipid-protein interactions, 251
Charman, R. C. and C. L. Braeuler. Short communication re human α-2 lipoprotein bands visualized by cellulose acetate electrophoresis, 397
Chi-Hua, Chen. See B. Lombardi
Ching, Te May and S. C. Fang. Differential incorporation of acetate and glucose in maturing Douglas fir seeds, 522
Chipault, J. R. See Toshimi Akiya
Chisholm, M. J. See C. Y. Hopkins
Christiansen, Kirsten, V. Mahadevan, C. V. Viswanathan and R. T. Holman. Mass spectrometry of long-chain aliphatic aldehydes, dimethyl acetals and alk-1-enyl ethers, 421
Christie, W. W. and J. H. Moore. The effect of dietary copper on the structure and physical properties of adipose tissue triglycerides in pigs, 345
—— D. Rebello and R. T. Holman. Short communication re mass spectrometry of derivatives of cyclopentenyl fatty acids, 229
Clark, Dale A., Emmett L. Foulds, Jr., and Fredrick H. Wilson, Jr. Effects of hydrogen peroxide on lipoproteins and associated lipids, 1
Colenbrander, V. F. See T. W. Keenan
Collins, F. D. See M. A. Trewhella
Coniglio, John G. and Raymond B. Bridges. Biosynthesis of fatty acids in cell-free homogenates of lactating gerbil mammary gland, 575
Cornatzer, W. E. See James E. Miller
Cornwell, David G. See Rodger L. Foltz
Crouchman, M. L. See L. J. Morris

D

Dain, Joel A. See Morris C. M. Yip
Davenport, J. B. Letter to the editor re chromatography of lipids on polystyrene gel column, 308
Davis, E. N., L. L. Wallen, J. C. Goodwin, W. K. Rohwedder and R. A. Rhodes. Microbial hydration of *cis*-9-alkenoic acids, 356
Dodge, James T. See Gerald B. Phillips
Dupont, Jacqueline and Melvin M. Mathias. Bio-oxidation of linoleic acid via methylmalonyl-CoA, 478

E

Earle, F. R. See R. Kleiman
—— See G. F. Spencer
Eng, L. F. See B. Gerstl

F

Fang, S. C. See Te May Ching
Feldman, Gerald L. See A. Stewart Windeler
Fennema, O. See C. Tu
Ferrell, William J., James F. Radloff and Andrew B. Kackiw. Quantitative analysis of free and bound fatty aldehydes: Optimum conditions for p-nitrophenylhydrazone formation, 278
Fioriti, J. A., N. Buide and R. J. Sims. Deposition of dietary epoxides in tissues of rats, 142
Fleischer, Sidney. See A. N. Siakotos
Fleischman, Alan I. See Paul H. Lenz
Fletcher, Thomas F. See James F. Berry
Fogerty, A. C. See A. R. Johnson
Foltz, Rodger L., S. Ramachandran and David G. Cornwell. Short communication re mass spectra of α,ω-diiodoalkanes, 225
Foulds, Emmett L., Jr. See Dale A. Clark
Freeman, N. K. See F. T. Lindgren
Freidinger, R. M. See C. R. Smith, Jr.
Friedman, Meyer. See Sanford O. Byers
Fu, Hwei C. See N. Nicolaides
—— and N. Nicolaides. Short communication re the structure of alkane diols of diesters in vernix caseosa lipids, 170

G

Galzigna, Lauro, Lodovico Sartorelli, Carlo R. Rossi and David M. Gibson. Lecithin-protein interaction in the GTP-dependent acyl-CoA synthase, 459
Gans, Joseph H. and Marilyn R. Cater. The effects of catecholamines on the distribution of ^{14}C-cholesterol in dogs, 533
Garrett, Ronald D. See Robert E. Anderson
Garrigan, O. W. See C.-L. Schengrund
Gawienowski, Anthony M. See Barry M. Austern
Gaylor, J. L. See Lemuel D. Wright
Gellerman, Joanne L. and Hermann Schlenk. Preparation of ^{14}C-labeled fatty and anacardic acids from *Ginkgo biloba*, 484
Gerstl, B., L. F. Eng, R. B. Hayman and P. Bond. The lipids of mitochondria of human gray and white matter, 428
Gibson, David M. See Lauro Galzigna
Gilliland, Kathleen M. See Ezio A. Moscatelli
Giorgini, D. See G. Porcellati
Gold, Martin. Triglyceride sub-classes of dog plasma and organs, 288
Goodwin, J. C. See E. N. Davis

H

Hagedorn, D. J. See Sara A. Hale
Hagemann, J. W. See B. E. Phillips
—— See C. R. Smith, Jr.
Hale, Sara A., T. Richardson, J. H. von Elbe and D. J. Hagedorn. Isoenzymes of lipoxidase, 209
Hamilton, James G. See Gail Sansone
Hammond, E. G. Short communication re the resolution of complex triglyceride mixtures, 246
Handa, Shizuo and Robert M. Burton. Biosynthesis of glycolipids: Incorporation of N-acetyl galactosamine by a rat brain particulate preparation, 589
—— and Robert M. Burton. Lipids of retina. I. Analysis of gangliosides in beef retina by thin-layer chromatography, 205
Harlow, R. D. See Randall Wood
Hashimoto, Shigeru. See Shohei Hayakawa
Hatch, F. T. See R. P. Noble
Hayakawa, Shohei, Shigeru Hashimoto and Tadamasa Onaka. Short communication re novel microbiological degradation products from cholic acid, 224
Hayman, R. B. See B. Gerstl
Hayton, Thomas. See Paul H. Lenz
Holman, R. T. See Kirsten Christiansen
—— See W. W. Christie
Hølmer, G. See E. Aaes-Jørgensen
—— and E. Aaes-Jørgensen. Essential fatty acid-deficient rats: II. On the fatty acid composition of partially hydrogenated arachis, soybean and herring oils and of normal, refined arachis oil, 507
—— and E. Aaes-Jørgensen. Essential fatty acid-deficient rats: III. Distribution of lipid classes in rat testes after feeding partially hydrogenated oils, 515
Holub, B. J. and A. Kuksis. Molecular species of phosphatidyl ethanolamine from egg yolk, 466
Hopkins, C. Y., M. J. Chisholm and J. A. Ogrodnik. Identity and configuration of conjugated fatty acids in certain seed oils, 89
Houtsmuller, U. M. T., A. Van Der Beek, and J. Zaalberg. A new criterion in the bioassay of essential fatty acids: The spontaneous swelling of rat liver mitochondria in vitro, 571
Hove, E. L. See C. R. Seward
Howe, Calderon. See Gerald B. Phillips
Hubbard, Roger W. See Donald G. Therriault

I

Inkpen, James A. and Forrest W. Quackenbush. Desaturation of palmitate and stearate by cell-free fractions from soybean cotyledons, 539
Isaacson, Elizabeth. See Ezio A. Moscatelli
Ishibe, Takeshi. See Akira Yamamoto
Isozaki, Masahiro. See Akira Yamamoto
Iyengar, B. T. R. and H. Schlenk. Melting points of synthetic wax esters, 28

J

Jacobsohn, Gert M. and Rafael J. Montiel. Cholesterol content of human parotid saliva, 380
Jenkin, Howard M. See Brian P. Livermore
Jensen, L. C. See F. T. Lindgren
—— See R. P. Noble
Jensen, R. G. See J. Sampugna
Johnson, A. R., A. C. Fogerty, Judith A. Pearson, F. S. Shenstone and Audrey M. Bersten. Fatty acid desaturase systems of hen liver and their inhibition by cyclopropene fatty acids, 265, *erratum*, 631
Johnson, Russell C. See Brian P. Livermore

K

Kackiw, Andrew B. See William J. Ferrell
Kanfer, Julian N. Short communication re incorporation of ^{14}C-UDP-glucose and ^{14}C-UDP-galactose into carbohydrate-containing sphingolipids by a rat brain particulate fraction, 163
Keenan, T. W. and V. F. Colenbrander. Short communication re biosynthesis of glycerides in freshly secreted sow's milk, 168
Kendrick, Jean and Betty M. Watts. Acceleration and inhibition of lipid oxidation by heme compounds, 454
Kinsella, John E. Short communication re the lipids of *Lepisma saccharina* L., 299
Kiser, James. See Robert L. Ory
Kleiman, R. See R. G. Powell
—— See G. F. Spencer
—— F. R. Earle and I. A. Wolff. Dihydrosterculic acid, a major fatty acid component of *Euphoria longana* seed oil, 317
—— G. F. Spencer and F. R. Earle. Boron trifluoride as catalyst to prepare methyl esters from oils containing unusual acyl groups, 118
—— G. F. Spencer, F. R. Earle and I. A. Wolff. A rapid microozonolysis-GLC procedure for locating unsaturation in olefinic acids, including trienes and tetraenes, 135
Kritchevsky, David. See P. P. Shah
Kritchevsky, Gene. See George Rouser
Kuksis, A. See W. C. Breckenridge
—— See B. J. Holub
—— See L. Marai
Kummerow, F. A. See D. S. Sgoutas

L

Lambremont, Edward N. See Randall Wood
Lea, M. A. See G. Weber
Lenz, Paul H. and Alan I. Fleischman. Variation in plasma lipids with age and sex in a hypertriglyceridemic rat, 384
—— Alan I. Fleischman and Thomas Hayton. Plasma lipid and glucose levels in the adrenalectomized rat following triglyceride ingestion, 115
Levis, Gabriel M. Composition and biosynthesis of the major hexose containing sphingolipids of pig leucocytes, 556
Lewis, Lena A. Screening for serum lipoprotein abnormalities: Comparison of ultracentrifugal, paper and thin-layer starch-gel electrophoresis techniques, 60
Lewis, Walter, III. See Robert M. Burton
Lindgren, F. T. See R. P. Noble
—— L. C. Jensen, R. D. Wills and N. K. Freeman. Flotation rates, molecular weights and hydrated densities of the low-density lipoproteins, 337
Lippel, Kenneth and James F. Mead, α-Oxidation of 2-hydroxy tetracosanoate in the rat, 129
Livermore, Brian P., Russell C. Johnson and Howard M. Jenkin. Short communication re isolation of an unusual positional isomer of hexadecenoic acid from a parasitic leptospire, 166
Lombardi, B., P. Pani, F. F. Schlunk and Chen Chi-Hua. Labeling of liver and plasma lecithins after injection of 1-2-^{14}C-2-dimethylaminoethanol and ^{14}C-L-methionine-methyl to choline deficient rats, 67

M

Madson, T. H. See Toshima Akiya
Mahadevan, V. See Kirsten Christiansen
Marai, L., W. C. Breckenridge and A. Kuksis. Specific distribution of fatty acids in the milk fat triglycerides of goat and sheep, 562
Mathias, Melvin M. See Jacqueline Dupont
Mazrimas, J. A. See R. P. Noble
Mead, James F. See Kenneth Lippel
Mellin, Donald B. See Donald G. Therriault
Mikolajczak, K. L., D. S. Seigler, C. R. Smith, Jr., I. A. Wolff and R. B. Bates. Short communication re a cyanogenetic lipid from *Cordia verbenacea* DC. seed oil, 617
Miller, James E. and W. E. Cornatzer. Studies on liver phosphatidyl cholines: I. Effects of fatty liver induction on phosphatidyl cholines from liver mitochondria and microsomes, 19; *addendum*, 250
—— and W. E. Cornatzer. Studies on liver phosphatidyl cholines: II. Effect of sex, age and species differences on phosphatidyl cholines from liver mitochondria and microsomes, 102
Mitchell, G. Vaughan. See C. R. Seward
Moinuddin, Mohammed and Linnard Taylor. Serum lipoproteins: A paper electrophoresis method without albumin in the buffer, 186
Monroe, R. E. See L. L. Bieber
Montiel, Rafael J. See Gert M. Jacobsohn
Moore, J. H. See W. W. Christie
Moorhouse, R. See B. W. Nichols
Morris, L. J. and M. L. Crouchman. The stereochemistry of enzymic hydration and of chemical cleavage of D-(+)-*cis*-12,13-epoxyoleic acid (vernolic acid), 50
Moscatelli, Ezio A. and Kathleen M. Gilliland. Short communication re 14:sphingosine, a novel sphingosine base from *Procambarus Clarkii*, 244
—— and Elizabeth Isaacson. Gas liquid chromatographic analysis of sphingosine bases in sphingolipids of human normal and multiple sclerosis cerebral white matter, 550

N

Nakamura, Masami and O. S. Privett. Metabolism of glyceryl 1-^{14}C-trilinoleate in rat testes, 93
—— and O. S. Privett. Metabolism of lipids in rat testes: Interconversions and incorporation of linoleic acid into lipid classes, 41
Nelson, Gary J. Studies of the lipids of sheep red blood cells: III. The fatty acid composition of phospholipids in HK and LK cells, 350
Nichols, B. W. and R. Moorhouse. The separation, structure and metabolism of monogalactosyl diglyceride species, 311
Nicolaides, N. See Hwei C. Fu
—— and M. N. A. Ansari. Short communication re the dienoic fatty acids of human skin surface lipid, 79
—— and Hwei C. Fu. Short communication re a rapid micro technique for differentiating between iso, anteiso and other mono methyl branched fatty chains, 83
Nishikawa, Mitsuo. See Akira Yamamoto
Noble, R. P., F. T. Hatch, J. A. Mazrimas, F. T. Lindgren, L. C. Jensen and G. L. Adamson. Comparison of lipoprotein analysis of agarose gel and paper electrophoresis with analytical ultracentrifugation, 55

O

Ogrodnik, J. A. See C. Y. Hopkins
Olmsted, C. A. Studies on the role of phospholipids in the triglyceride cycle: I. Phospholipid synthesis in liver and plasma of ethionine-treated rats, 401
—— Studies on the role of phospholipids in the triglyceride cycle: II. Turnover of plasma phospholipids in ethionine-treated dogs, 408
Onaka, Tadamasa. See Shohei Hayakawa
Ory, Robert L. Acid lipase of the castor bean, 177
—— James Kiser and Paul A. Pradel. Studies on positional specificity of the castor bean acid lipase, 261
Ostwald, Rosemarie. See Jwu-Sheng Tung

P

Pani, P. See B. Lombardi
Pearson, Judith A. See A. R. Johnson
Peric-Golia, Ludvik. Enterohepatic circulation of cholic acid and cholesterol metabolism in the rat, 147
Perkins, E. G. and C. J. Argoudelis. Short communication re determination of double bond position in polyunsaturated fatty acids using combination gas chromatography mass spectrometry, 619
Phillips, B. E., C. R. Smith, Jr. and J. W. Hagemann. Glyceride structure of *Erlangea tomentosa* seed oil, a new source of vernolic acid, 473
Phillips, Gerald B., James T. Dodge and Calderon Howe. The effect of aging of human red cells in vivo on their fatty acid composition, 544
Porcellati, G., D. Giorgini and E. Toja. Inhibition of cholesterol synthesis by β-benzal butyric acid and derivatives, 190
Pousada, Manuel. See Arthur F. Rosenthal
Powell, R. G., R. Kleiman and C. R. Smith, Jr. New sources of 9-D-hydroxy-*cis*-12-octadecenoic acid, 450
Powrie, W. D. See C. Tu
Pradel, Paul A. See Robert L. Ory
Privett, O. S. See Masami Nakumura

Q

Quackenbush, Forrest W. See James A. Inkpen

R

Radloff, James F. See William J. Ferrell
Ramachandran, S. See Rodger L. Foltz
Rebello, D. See W. W. Christie
Rhodes, R. A. See E. N. Davis
Richardson, T. See Sara A. Hale
Rohwedder, W. K. See E. N. Davis
Rosenthal, Arthur F. and Manuel Pousada. Two synthetic phosphonate analogs of lecithin, 37
Rossi, Carlo R. See Lauro Galzigna
Rouser, George. See Claude F. Baxter
—— See A. N. Siakotos
—— See Gerald Simon
—— Gerald Simon and Gene Kritchevsky. Species variations in phospholipid class distribution of organs: I. Kidney, liver, spleen, 599

—— and Robert D. Solomon. Short communication re changes in phospholipid composition of human aorta with age, 232
—— and Ronald R. Wade. Short communication re amaurotic idiocy, 176

S

Sampugna, J. and R. G. Jensen. Stereospecific analysis of the major triglyceride species in the monounsaturated fraction of cocoa butter, 444
Sand, Donald M. and Hermann Schlenk. Short communication re the polyunsaturated alcohols in wax esters of fish roe, 303
Sansone, Gail and James G. Hamilton. Glyceryl ether, wax ester and triglyceride composition of the mouse preputial gland, 435
Sartorelli, Lodovico. See Lauro Galzigna
Sawada, Hideo. See Yoshimasa Yoneyama
Scheig, Robert. See James L. Boyer
Schengrund, C.-L. and O. W. Garrigan. A comparative study of gangliosides from the brains of various species, 488
Schlenk, Hermann. See Joanne L. Gellerman
—— See B. T. R. Iyengar
—— See Donald M. Sand
Schlunk, F. F. See B. Lombardi
Seigler, D. S. See K. L. Mikolajczak
Seward, C. R., G. Vaughan Mitchell, L. C. Argrett and E. L. Hove. Short communication re oxidation of α-tocopherol to α-tocopheryl quinone by carbon tetrachloride-ethanol solvent, 629
Sgoutas, D. S. and F. A. Kummerow. *Cis-trans* isomerization of unsaturated fatty acid methyl esters without double bond migration, 283
Shah, P. P., Ezra Staple, Irwin L. Shapiro and David Kritchevsky. Short communication re the isolation of 3α-, 7α-, 12α-trihydroxycoprostanic acid from baboon bile, 82
Shapiro, Irwin L. See P. P. Shah
Shenstone, F. S. See A. R. Johnson
Siakotos, A. N., George Rouser and Sidney Fleischer. Short communication re isolation of highly purified human and bovine brain endothelial cells and nuclei and their phospholipid composition, 234
—— George Rouser and Sidney Fleischer. Short communication re phospholipid composition of human, bovine and frog myelin isolated on a large scale from brain and spinal cord, 239
Simon, Gerald. See Claude F. Baxter
—— See George Rouser
—— and George Rouser. Species variations in phospholipid class distribution of organs: II. Heart and skeletal muscle, 607
Sims, R. J. See J. A. Fioriti
Smith, C. R., Jr. See K. L. Mikolajczak
—— See B. E. Phillips
—— See R. G. Powell
—— R. M. Freidinger, J. W. Hagemann, G. F. Spencer and I. A. Wolff. *Teucrium depressum* seed oil: A new source of fatty acids with Δ^5-unsaturation, 462
—— and I. A. Wolff. Characterization of naturally occurring α-hydroxylinolenic acid, 9
Smith, Paul F. The role of lipids in membrane transport in *Mycoplasma laidlawii*, 331
Smith, Thomas M., Thomas J. Brooks, Jr., and Harold B. White, Jr. Fatty acid composition of adult *Schistosoma mansoni*, 31
Snyder, Fred. See Robert E. Anderson
Sodd, Mary Ann. See Robert M. Burton
Solomon, Robert D. See George Rouser
Spencer, G. F. See R. Kleiman
—— See C. R. Smith, Jr.
—— R. Kleiman, F. R. Earle and I. A. Wolff. *Cis*-5-Monoenoic fatty acids of *Carlina* (Compositae) seed oils, 99
Stamm, Nancy B. See G. Weber
Staple, Ezra. See P. P. Shah
Sugita, Yoshiki. See Yoshimasa Yoneyama
Sundaresan, P. R. and Donald G. Therriault. Liver retinal reductase and oxidase activities in rats exposed to low environmental temperature, 109

T

Takeshita, Masazumi. See Yoshimasa Yoneyama
Taylor, Linnard. See Mohammed Moinuddin
Taylor, M. Wight. See J. Cerbulis
Therriault, Donald G. See P. R. Sundaresan
—— Roger W. Hubbard and Donald B. Mellin. Endocrine control of fat mobilization in the isolated fat cells of cold-exposed rats, 413
Toja, E. See G. Porcellati
Trewhella, M. A. and F. D. Collins. Short communication re the relative turnover of individual molecular species of phospholipids, 304
Tu, C., W. D. Powrie and O. Fennema. Steroids in bovine muscle and adipose tissue, 369
Tung, Jwu-Sheng and Rosemarie Ostwald. Effect of dietary cholesterol on bile-acid composition of gall bladder bile from guinea pigs, 216

V

Van der Beek, A. See U. M. T. Houtsmuller
van der Horst, D. J., A. H. van Gennip and P. A. Voogt. Short communication re a simplified method for extracting lipids from large quantities of tissue abundant in water, 300
van Gennip, A. H. See D. J. van der Horst
Victoria, Edward J. and Albert A. Barber. Peroxidation of microsomal membrane protein-lipid complexes, 582
Viswanathan, C. V. See Kirsten Christiansen
von Elbe, J. H. See Sara A. Hale
Voogt, P. A. See D. J. van der Horst

W

Wade, Ronald R. See George Rouser
Walker, Robert W. *Cis*-11-Hexadecenoic acid from *Cytophaga hutchinsonii* lipids, 15
Wallen, L. L. See E. N. Davis
Watts, Betty M. See Jean Kendrick
Weber, G., M. A. Lea and Nancy B. Stamm. Regulation of hepatic carbohydrate metabolism by FFA and acetyl-CoA: sequential feedback inhibition, 388
White, Harold B., Jr. See Thomas M. Smith
Wills, R. D. See F. T. Lindgren
Wilson, Fredrick H., Jr. See Dale A. Clark
Windeler, A. Stewart and Gerald L. Feldman. Short communication re silver acetate for stabilizing methyl galactosides after methanolysis of glycolipids, 167
Wolff, I. A. See R. Kleiman
—— See K. L. Mikolajczak
—— See C. R. Smith, Jr.
—— See G. F. Spencer
Wood, Randall, R. D. Harlow and Edward N. Lambremont. GLC analysis of *Heliothis virescens* triglycerides at various metamorphic stages, 159
Wright, Lemuel D. and J. L. Gaylor. Phase relationships involving the deposition of cholesterol from triglyceride solution, 526

Y

Yamamoto, Akira, Masahiro Isozaki, Takeshi Ishibe and Mitsuo Nishikawa. Short communication re free fatty acid level in rat liver after ingestion of polyunsaturated fatty acids, 77
Yip, Morris C. M. and Joel A. Dain. The enzymic synthesis of ganglioside: I. Brain uridine diphosphate D-galactose: *N*-acetyl-galactosaminyl-galactosyl-glucosyl-ceramide galactosyl transferase, 270
Yoneyama, Yoshimasa, Hideo Sawada, Masazumi Takeshita and Yoshiki Sugita. The role of lipids in heme synthesis, 321

Z

Zaalberg, J. See U. M. T. Houtsmuller
Zeman, Wolfgang. Short communication on what is amaurotic idiocy?, 76

SUBJECT

A

Abalone, phospholipids from skeletal muscle, 599, 607
Abdominal aorta, dog, cholesterol, effect of catecholamines, 533
Acetals, dimethyl prep, 421
—— mass spectra, relative intensities of peaks, 421
—— symmetried, long chain aldehydes, 421
—— unsymmetried, long chain aldehydes, 421
Acetate, incorporation into cholesterol *in vitro*, effect of β-benzal butyric acid, 190
Acetic acid, alcohol ester, GLC, ozonolysis, 303
—— esters of alkane diols, 170
^{14}C-Acetic acid, radioactivity incorporated into fatty acids, mammary glands, 575
2-^{14}C-Acetic acid, seeds, Douglas fir, radioactivity incorporation, 522
Acetic acid: coenzyme A: ligase EC 6.2.1.1., 190
Acetonide, derivatives of alkane diols, 170
9-D-Acetoxy-cis-12-octadecenoic acid, in *Nerium oleander* seed oil, 450
Acetyl Coenzyme A:, acetyl transferase, EC 2.3.1., 190
—— glucokinase (EC 2.7.1.2), inhibited by, 388
—— incorporation into cholesterol *in vitro*, effect of β-benzal butyric acid, 190
—— inhibitor of glucokinase and pyruvate kinase, 388
—— pyruvate kinase (EC 2.7.1.40), inhibited by, 388
^{14}C-Acetyl CoA, radioactivity incorporation into fatty acids, mammary glands, 575
Acid:CoA ligase, EC 6.2.1. (GTP-dependent), 459
—— Arrhenius plot, 459
—— effect of acetone extraction, 459
—— effect of phosphatidyl choline, 459
—— temp dependence, 459
Acid:CoA ligase (AMP) EC 6.2.1.3, acylation of sterculic acid, 265
Activator, for acid lipase, protein, 177
Acyl CoA synthetase, (GTP-dependent), EC 6.2.1., 459
N-Acyl sphingosine. See ceramide or specific fatty acid
Adduct, mercuric acetate with unsaturated fatty acid, 129
Adipose tissue, baboon, diet lipids, 152
—— fatty acid profile, 152
—— milk lipids, 152
Adipose tissue, bovine, steroids in, 369
Adipose tissue, pig, effect of dietary copper, comp, 345
Adipose tissue, rat, comp, effect of temp, 413
—— effect of cold exposure, 413
Adrenaline. See epinephrine
Adrenal hyperplasia (left), human brain lipids, comp, 428
Adrenalectomy, rat, cholesterol in serum, 115
—— phospholipids in serum, 115
—— serum lipids, 115
—— triglycerides in serum, 115
Adrenals, dog, cholesterol conc, effect of catecholamines, 533
Adsorption, multilayer of cholesterol, 526
Adsorption isotherms, cholesterol by Permutit, 526
Age, effect on liver phosphatidyl choline, 102
—— guinea pig, effect on liver phosphatidyl choline, 102
—— hamster, effect on liver phosphatidyl choline, 102
—— of human erythrocytes, effect of fatty acid profiles, 544
—— mouse, effect on liver phosphatidyl choline, 102
—— phospholipid comp changes, human aorta, 232
—— rabbit fetus, effect on liver phosphatidyl choline, 102
—— rabbit, effect on liver phosphatidyl choline, 102
—— rat, effect on liver phosphatidyl choline, 102
—— rat, effect on serum lipids, 384
L-Alanine, competitive inhibitor of liver pyruvate kinase, 388
—— pyruvate kinase (EC 2.7.1.40.), affinity for phosphoenolpyruvate, inhibition by, 388
Alcohol acetates, GLC, ozonolysis, 303
Alcohol profile, mouse preputial gland glycerol alkyl ethers, 435
—— mouse preputial gland glycerol alk-1-enyl ethers, 435
—— mouse preputial gland sex wax esters, 435
Alcohols. See also fatty alcohols
Aldehydes, deuterium-labeled, specifically, 421
—— esters, flame ionization detector, 135
—— esters, GLC identification, 135
—— esters, unsaturated, partial ozonolysis of polyenes, 135
—— flame ionization detector, 135
—— fragmentation mechanisms, aldehydes, 421
—— GLC identification, 135
—— mass spectra, relative intensities of peaks, 421
—— prep, 421
—— TLC preparative (silica gel-silver nitrate), 421
—— unsaturated, partial ozonolysis of polyenes, 135
—— See also fatty aldehydes
Aleyl alcohol, fish roe, 303
Algae, *Chlorella vulgaris*, monogalactosyl diglyceride metabolism, 311
Aliphatic diols, diesters, structure, 170
O-Alk-1-enyl glycerols, fatty aldehyde liberation, 327
Alk-1-enyl methyl ethers, prep, 421
Alkaline phosphatase, radiation damage, protection by methyl octadecadienoates, 398
Alkaline phosphatase (EC 3.1.3.1.). See phosphatase alkaline
6-Alkylsalicylic acids, in *Ginkgo biloba*, 484
—— methyl ester prep, 484
—— radioactive, ^{14}C, prep, 484
—— See also anacardic acid
Alkane diols, diesters, structure, 170
—— lipids, branched chain, 170
—— lipids, oxidation by periodate, 170
—— oxidation by permanganate, 170
1,2-cis-Alkane diol, lipids, differentiate from 2,3-cis- and 2,3-trans-, 170
2,3-cis-Alkane diol, lipids, differentiate from 1,2-cis- and 2,3-trans-, 170
2,3-trans-Alkane diols, lipids, differentiate from 1,2-cis- and 2,3-cis-, 170
Alkenoic acid, synthesis of, *cis*-9,(-)-D-10-hydroxy acids, 356
Alkyl glycerols, location of double bonds, 225
Allergens, immunoelectrophoretic anal, 177
—— lipid metabolism, role in, 177
Alligator (Alligator mississippiensis) brain, gangliosides, 488
Alligator mississippiensis. See alligator
Amaurotic familial idiocy, heterogeneous diseases of the brain, 76
—— See also gangliosidoses
Amaurotic idiocy, classification, 176
Amino-acid composition structural protein, rat liver microsome membrane, 582
Amino acids, seeds, Douglas fir radioactivity, 522
Anacardic acids, in *Ginkgo biloba*, 484
—— methyl ester prep, 484
—— radioactive, ^{14}C, prep, 484
—— See also 6-alkyl salicylic acid
Δ^5-Androsten-17α-methyl-3β,17β-diol. See ergosterol
Anemia, dietary cholesterol, bile acid conjugation, 216
Anomers, of methyl galactoside formed by methanolysis, 167
Antioxidants, hemes in linoleic and linolenic emulsions, 454
—— porphyrin degradation products, 454
Aorta, dog, cholesterol conc, effect of catecholamines, epinephrine, norepinephrine, 533
—— human, changes with age, 232
—— human, phospholipid comp, 232
—— rat, cholesterol conc, 147
Aplodinotus grunniens. See oil, fish
Arachidonic acid, Δ9,10-desaturation by hen liver, inhibition by cyclopropenes, 265
—— from eicosa-8,11,14-trienoic acid into; effect of linoleic acid, 621
—— mercuric acetate adduct, 129
—— See eicosanoic acid (20:0)
Arachidonic acid (20:4ω3), methyl ester, free fatty acid profiles, rat liver, 77
—— See also *cis, cis, cis, cis*, 5,11,14,17-eicosatetraenoic acid
Arachidonic acid (20:4ω6), in human erythrocytes, 544
—— in phopsphatidyl cholines, rat, 19
Arachidonyl alcohol, fish roe, 303
Arachidyl alcohol (20:0 alc). See eicosanol
Arachis oil, hydrogenated (partial), as dietary fats, 501
—— partially hydrogenated, comp, GLC, fatty acid profile, 507
Argentation. See chromatography, thin-layer
Argentation chromatography. See chromatography, thin-layer (silver nitrate)
Arrhenius plot, of acid:CoA ligase activity, 459
Arteriosclerosis, human brain lipids comp, 428
Artifact, methyl ketone from β-oxocarboxylic acid, 224
Atherosclerosis, lipid peroxidation, 1
Atherosclertic human aorta, phospholipid comp, 232
Authors, guide to manuscript prep, 87

B

Baboon, biosynthesis of 3α-, 7α-, 12α-trihydroxycoprostanic acid, 82
—— lipoproteins, cholesterol in, 82
Baboon bile, 3α-, 7α-, 12α-trihydroxycopronstanic acid, 82
Baboon diet, effect on milk lipids, 152
—— effect on fatty acid profiles, 152
Baboon lactation, fatty acid profile changes, 152
Baboon milk, fatty acid profile, 152

Baboon serum, cholesterol in, 82
Balaenoptera physalus. See oil, whale
Batten's disease, classification, 176
—— neuronal accumulation of fluorescent lipid granules, 76
Behenic acid, Δ9,10-desaturation by hen liver, inhibition by cyclopropenes, 265
Behenyl alcohol (22:0 alc). See docosanol
β-Benzal butyric acid, effect on cholesterol synthesis in rat liver, 190
Bilayers, phospholipids, 251
Bile, baboon, 3α-, 7α-, 12α-trihydroxycoprostanic acid, 82
Bile acids, biliary, from cholesterol, rat, 147
—— conjugation in guinea pigs, 216
—— conjugation pattern in cholesterol-fed guinea pigs, 216
—— dtmn by TLC, 216
—— enterohepatic circulation, rat, 147
—— TLC, 216
Bile duct, rat, catheterization, 147
Biochemistry, comparative, gangliosides, 13 vertebrate species, 488
Biosynthesis, brain, glycolipids, 589
—— of fatty acids, cell-free homogenates, gerbil and rat, 575
—— of fatty acids, gerbil and rat mammary glands, 575
—— of fatty acids, in lactating mammary glands, gerbil and rat, 575
—— of fatty acids in milk, 562
—— *in vitro*, of β-carotene by bovine corpus luteum tissue, 227
Biotin, deficiency in rat, 478
Blood, human leucocytes, oligoglycosyl sphingolipids, 556
—— monkey, galactosyl ceramide-^{3}H content, 496
—— pig leucocytes, oligoglycosyl sphingolipids, 556
Blood cells, red. See erythrocytes
Blood glucose, effect of triglyceride ingestion, 115
—— effect of triglyceride ingestion and adrenalectomy, 115
—— variations in the fasted rat, 115
Blood plasma, dog, cholesterol, half-life, effect of catecholamines, 533
Body weight, change with age and sex in a hypertriglyceridemic rat, 384
—— rat, dietary fat and vitamin B_{12}, 478
Bone marrow cells, pig, isolation from blood, 556
Boraginaceae seed oil, nitrile-containing lipids from, 617
Boron trifluoride, catalyst in prep of *cis*-12,13-epoxy-*cis*-9-octadecenoic acid methyl ester, 118
—— catalyst in prep of hydroxy-fatty acid methyl ester, 118
—— catalyst in prep of 9,11,13-octadecatrienoic acid methyl ester, 118
—— catalyst in prep of 8-(2-n-octylcyclopropen-1-yl) octanoic acid methyl ester, 118
—— rapid prep of fatty acid methyl esters, 118
Bovine, corpus luteum, *in vitro* β-carotene biosynthesis, 227
—— butter oil, 197
—— milk fat, 197
—— phospholipids from kidney, liver, spleen, heart muscle, skeletal muscle, 599, 607
Bovine adipose tissue, steroids in, 369
Bovine brain, endothelial cells and nuclei, isolation and phospholipid comp, 234
—— myelin isolation, phospholipid comp, 239
Bovine lung, phospholipid comp, 243
Bovine muscle, steroids in, 369
Bovine myelin, isolation, phospholipid comp, 239
Bovine retina, gangliosides by TLC, 205
Bovine spinal cord, myelin isolation and phospholipid comp, 239
Brain, gangliosides, survey of 13 vertebrate species, 488
—— gray matter, mitochondrial lipids, 428
—— gray matter, myelin isolation, phospholipid comp, 239
—— mitochondrial lipids, 428
—— plasma cholesterol source, 123
—— white matter, mitochondrial lipids, 428
—— white matter, myelin isolation, phospholipid comp, 239
Brain, bovine, endothelial cells and nuclei, isolation and phospholipid comp, 234
—— gangliosides by TLC, 205
—— mitochondrial lipids, 428
—— myelin isolation, phospholipid comp, 239
Brain, frog, myelin isolation, phospholipid comp, 239
—— UDP-gal:galNAc-gal-glc-cer galactosyl transferase, 270
Brain, human, endothelial cells and nuclei, isolation and phospholipid comp, 234
—— mitochondrial lipids, 428
—— myelin comp, 550
—— myelin isolation, phospholipid comp, 239
—— sphingosine content, chain-length distribution, 550
—— white matter, sphingolipids, 550
Brain lipidoses, classification, 176
Brain, mouse, free and bound aldehydes, 278
Brain, rat, adult and baby, UDP-gal:galNAC-gal-glc-cer galactosyl transferase, 270
—— glycolipid biosynthesis, 589
—— sphingolipid bicsynthesis, 163
—— UDP-(N-acetyl) galactosamine gal-glc-cer N-acetyl galactosamine transferase, 589
—— UDP(N-acetyl) glucosamine-4′-epimerase, 589
Brain, tadpole, UDP-gal:galNAC-gal-glc-cer galactosyl transferase, 270
2,3-Butane dioleate, hydrolysis, castor bean acid lipase, 261
2-methyl-4-phenyl-3-Butanoic acid, sterol biosynthesis inhibitor, 190
2-hydroxy-3-methyl-4-phenyl-3-Butenoic acid, sterol biosynthesis inhibitor, 190
3-methyl-4-phenyl-3-Butenoic acid, sterol biosynthesis inhibitor, 190
—— See also β-benzal butyric acid
Butter, cocoa. See cocoa butter

C

Caloric efficiency, rat, in essential fatty acid deficiency, 501
Caloric intake, fat, in essential fatty acid deficiency, 501
Campesterol, in earthworm, 363
Carbohydrate metabolism, regulation by fatty acids, acetyl-CoA, 388
Carbohydrates, seeds, Douglas fir radioactivity, 522
Carbon dioxide, fatty acid metabolism, 615
—— heptadecanoic acid metabolism, 615
—— respiratory, from linoleic acid, rat, 155
—— seeds, Douglas fir radioactivity, 522
Carbon number distribution, dog adipose triglycerides, 288
—— dog kidney triglycerides, 288
—— dog muscle, skeletal, triglycerides, 288
—— dog liver triglycerides, 288
—— dog myocardium triglycerides, 288
—— dog plasma (arterial) triglycerides, 288
—— dog plasma (venous) triglycerides, 288
Carbon tetrachloride, in ethanol, oxidation of substrates, 629
—— induction of fatty liver, 19
3-9′-Carboxy-non-cis-1′-enyl-6-4″-acetoxybutyl-cyclo-hexene-4,5-dicarboxylic anhydride, 89
Carcinoma of lung, human brain lipids comp, 428
Carcinoma of testes, human brain lipids comp, 428
Cardiolipid, in *Lepisma saccharina* L., 299
Cardiolipin, brain mitochondria, 428
—— in rat liver, effect of diet, 77
Carnitive, in *Tenebrio molitor* L. larvae, 293
β-Carotene, oxidation by carbon tetrachloride in ethanol, 629
—— retinol formation, 109
—— *in vitro* biosynthesis by bovine corpus luteum tissue, 227
Carotenyl esters, fatty acid turnover, 331
Carotenyl glucoside, glucose turnover, 331
Carotic artery, dog, cholesterol conc, effect of catecholamines, 533
Castor bean, lipase, acid, 261
—— See also oilseeds, *Ricinus communis*
Castor bean acid lipase, EC 3.1.1.3, positional specificity studies, 261
Castor bean lipase, 177
Catabolism, of linoleic acid in testes, 41
Cat brain, gangliosides, 488
Catalyst, *cis-trans* isomerization, 283
Catecholamines. See also epinephrine, norepinephrine
Catecholamines and cholesterol redistribution, in dogs, 533
Catheterization, common bile duct, rat, 147
CCD. See countercurrent distribution
Cell membranes, structure, in relation to lipid transition temps, 251
—— structure, in relation to lipid structure and comp, 251
Ceramide, TLC solvent system, 129
Ceramide aminoethylphosphonate, 599, 607
Ceramide phosphorylethanolamine, 599, 607
Cerebral lipidoses, classification, 176
Cerebrosides, brain mitochondria, human, 428
—— human brain, 550
—— in *Lepisma saccharina* L., 299
—— multiple sclerosis 550
—— rat brain particles, biosynthesis, 163
—— TLC solvent system, 129
Cerebroside (galactosyl ceramide), distribution in monkeys, 496
Cerebroside-^{3}H (galactosyl ceramide), tritium excretion in monkeys, 496
Chain length equivalent, calculation, GLC, 135
Chaulmoogric acid, mass spectrum, 229
—— See also 13-(cyclopent-2-enyl) tridecanoic acid
Chenodeoxycholic acid, rat bile, 147
—— See also 3α, 7α-dihydroxycholanoic acid
Chicken brain, gangliosides, 488
Chicken liver, fatty acid Δ9,10-desaturase activity, chain length effect, 265
Chimpanzee, fatty acid profile of serum lipoproteins, 1
Chlorella vulgaris. See algae
Δ3,5-Cholestadiene-7-one. See dihydrolanosterol

Cholestan-7-ol, TLC, 190
Δ⁴-Cholesten-3-one. See lanosterol
Cholesterol, adsorption isotherms, 526
—— adsorption on Permutit, 526
—— aggregation in solution, 526
—— in baboon serum and lipoproteins, 82
—— biosynthesis, inhibition by β-benzal butyric acid, liver, 190
—— biosynthesis, inhibition, rat liver, 190
—— bovine adipose tissue, dtmn, 369
—— bovine muscle, dtmn, 369
—— brain mitochondria, human, 428
—— change with age and sex in a hypertriglyceridemic rat, 384
—— comp human low-density lipoprotein, 337
—— crystals from triglyceride solution, 526
—— in dog aorta, conc, effect of catecholamines, 533
—— in dog erythrocyte, conc, effect of catecholamines, 533
—— in dog plasma, conc, effect of catecholamines, 533
—— in earthworm, 363
—— endogenous, plasma and tissues conc, rat, 147
—— human serum in disease, 60
—— hydrogen bonding to triglycerides, 526
—— isotopic steady state, rat, 123
—— in *Lepisma saccharina* L., 299
—— metabolism, rat, 147
—— metabolism *in vivo, rat,* 155
—— micro-anal, 380
—— model in vitro of deposition in vivo, 526
—— multilayer adsorption from solution, 526
—— of parotid saliva, human, 380
—— in peroxidized serum lipoproteins, 1
—— photogrammetry, 380
—— physical forms in triglyceride solution, 526
—— plasma and tissues, rat, 147
—— rat metabolism, 147
—— rat serum, effect of adrenalectomy, 115
—— rat serum, effect of triglyceride ingestion, 115
—— rat testis metabolism, trilinolein, 93
—— spectra, infrared near, 526
—— synthesis, rat liver, 155
—— synthesis, rat muscle, 155
—— synthesis *in vivo,* rat, 155
—— from tissues to plasma in rats, 123
—— TLC, 190
—— TLC dtmn method, 380
—— transport, rat, 123
—— triglyceride solution precipitation from, 526
—— 3α-, 7α-, 12α-trihydroxycoprostanic acid formed from, baboon, 82
Cholesterolemia, hyper, induced by phosphatidyl choline, 123
Cholesterol biosynthesis, relative to plasma cholesterol, 123
Cholesterol distribution, in dogs, effect of catecholamines, 533
Cholesterol epoxide, oxidation of cholesterol, prep, 142
—— rat, absence in tissues, 142
—— rat diet supplement, 142
—— TLC, 142
Cholesterol esters, in *Lepisma saccharina* L., 299
—— of parotid saliva, human, 380
—— rat testes metabolism, 41
Cholesterol-fed guinea pigs, bile acids, 216
Cholesterol half-life, in dog plasma, 533
Cholesterol-induced anemia, bile acid comp, 216
Cholesterol oleate, TLC solvent system, 129
Cholesterol-phospholipids, interactions, 251
Cholesteryl esters, comp human low-density lipoprotein, 337
—— rat testis metabolism, trilinolein, 93
—— peroxidized, elution from silicic acid column, 1
—— in peroxidized serum lipoproteins, 1
—— unsaturated, peroxide effects on, 1
Cholic acid, effect on cholesterol levels, rat, 147
—— microbiological formation of enamine lactams, 224
—— See also 3α, 7α, 12α-trihydroxycholanoic acid
Choline, liver phospholipids release to plasma, dog, 408
—— phospholipid synthesis after ethionine, rat, 401
—— plasma phospholipid turnover, dog, 408
—— triglyceride cycle, effect of inhibition of, 408
Choline deficiency, effect on phosphatidyl choline synthesis, 67
—— induction of fatty liver, 19
Choline deficient diet, rat, 77
Chromatography, column, gangliosides of bovine retina, 205
—— phosphatidyl ethanolamine (silicic acid), 15
—— phosphonic acid analogs of phosphatidyl cholines, 37
—— polystrene gel, separation of phospholipids and neutral lipids, 308
—— retinyl esters, retinol (alumina), 109
—— silicic acid, rat tissue lipids, 129
—— TEAE, phospholipids, 599, 607
—— wax esters, 28
Chromatography, exclusion, on polystrene gel, 308
Chromatography, gas-liquid, aldehydes, 550
—— aldehydes, of branched, long carbon chain alkanes, 170
—— of alkane diol lipids, 170
—— 6-alkylsalicyclic acid ether esters, 484
—— anacardic acid ether esters, 484
—— anal of ^{14}C-fatty acids, 93
—— of baboon milk lipids, 152
—— chain lengths equivalent of aldehydes, aldehyde esters and dialdehydes, 135
—— cholesterol, photogrammetry dtmn, 380
—— collection of separated components, 627
—— column packing (fatty acid methyl esters), 1
—— cyanogenetic lipids, 617
—— diglyceride acetates, 466
—— diglycerides, triglycerides, 444
—— double column procedure for fatty acids, 31
—— epoxy-fatty acids, 142
—— esters of epoxy oils prepared with boron trifluoride, 118
—— esters of hydroxy oils prepared with boron trifluoride, 118
—— fatty acids after lipolysis, dtmn, 261
—— fatty acid methyl esters, 15, 159, 488
—— fatty acid methyl esters, column packing comparison, 129
—— fatty acids, *trans,* 283
—— flame ionization detector response to ozonolysis products, 135
—— free fatty acid profile in rat liver, 77
—— galactolipids, 167
—— geometric isomers of unsaturated fatty acid esters, 627
—— hydroxy fatty acid methyl esters, 356
—— 10-hydroxy fatty acid methyl esters, retention times, 856
—— keto fatty acid methyl esters, 356
—— lipoxygenase dtmn of polyenoic acid, comparison, 441
—— 2-methyl ketones, 83
—— mono- and dicarboxylic acid esters, 539
—— *cis*-8(2-n-octylcyclopropan-1-yl) octadecanoic acid, 317
—— ozonolysis products, *cis*-5-monoenoic acids, 99
—— polyester column bleed, removal of contaminates, 627
—— pyrolysis of phosphoglycerides, 301
—— reductive ozonolysis products, 135
—— triglycerides, 159
—— triglycerides, diglycerides, 444
—— triglycerides, fatty acids, 197
—— triglyceride fatty acids profile, 288
—— weight, specific activity of fatty acids, 41
Chromatography, gas-liquid-mass spectrometer, fatty acids, 619
Chromatography, paper, galactose, glucose, 488
—— pentose, from galactosamine, 488
Chromatography, sephadex, of lipids, 599, 607
Chromatography, thin-layer, adsorbent prep (silica gel H-magnesium silicate), 599, 607
—— aldehydes (silica gel-silver nitrate), 421
—— of alkane diol lipids, 170
—— O-alk-1-enyl glycerol, 327
—— apparatus, 599, 607
—— bile acids, quantitative dtmn, 216
—— *Carlina* seed oils, 99
—— descending, apparatus for, 488
—— detection (formaldehyde-sulfuric acid), 599, 607
—— diglyceride acetates, 466, 562
—— diglyceride acetates (silica gel-silver nitrate), 466
—— diglycerides, 1,3-diacyl and 1,2-diacyl (silica gel-boric acid), 444
—— dinitrophenylhydrazones of keto fatty acid methyl esters, 356
—— epoxy-fatty acid esters, glycerides, 473
—— epoxy-fatty acids, 142
—— fatty acids (silica gel-silver nitrate), 462, 539
—— fatty acids, *trans,* 283
—— fatty aldehydes, 278, 327
—— fumaric acid, 478
—— gal-galNAC-gal-glc-cer, 270
—— gangliosides (descending), 488
—— gangliosides of bovine retina, 205
—— glycolipids (solvent systems), 270
—— glycolipids (sphingolipids) (silica gel H-boric acid), 556
—— β-hydroxy butyric, 478
—— lactic acid, 478
—— lipid class anal, radioactive, 93
—— lipid class, prep, 522
—— of lipids (solvent systems), 599, 607
—— malic acid, 478
—— methyl dinitrophenyl phosphatidyl ethanolamine, 304
—— methyl malonic acid, 478
—— monogalactosyl diglycerides species (silica gel-silver nitrate), 311
—— p-nitrophenylhydrazones, 278
—— *cis*-8 (2-n-octylcyclopropan-1-yl) octadecanoic acid, 317
—— oils, partial hydrogenated, 507
—— oils, partial hydrogenation (silica gel-silver nitrate), 507
—— pea lipids, 209
—— phosphatidyl cholines, 304
—— phosphatidyl choline (silver nitrate impregnated silica gel H), 102

—— phosphatidyl choline recovery, 102
—— phosphatidyl ethanolamine, 466
—— phosphatidyl ethanolamine (solvent system), 15
—— phospholipids, quantitative, 599, 607
—— of phospholipids (solvent systems), 599, 607
—— phosphonic acid analogs of phosphatidyl cholines, 37
—— plate prep, 599, 607
—— polyunsaturated fatty acids (silica gel-silver nitrate), 507
—— preparative (phosphatidyl cholines), 19
—— preparative (silica gel-silver nitrate) for triglycerides (monounsaturated), 444
—— preparative (silica gel-boric acid) for 1,2- and 1,3-glycerol diacyl esters, 444
—— quantitative photogrammetry, 380
—— retina gangliosides, bovine, 205
—— separation of hydroxy, tosyloxyoleate isomers, silver nitrate, 50
—— sterols, silver nitrate impregnation, 190
—— solvent system (bile acids), 216
—— solvent system (epoxy-fatty acids), 142
—— solvent system (gangliosides), 205
—— solvent system (glycerides), 142
—— solvent system (lipid classes), 41
—— solvent system (phosphate esters), 15
—— solvent system (phosphatidyl ethanolamine), 15
—— solvent system (triglycerides), 99
—— sphingolipids, 550
—— sphingolipids (glycolipids) (silica gel H-boric), 556
—— sphingolipids (solvent systems), 270
—— sterol, cholesterol 7-dehydrocholesterol, methostenol, lanosterol, cholestan-7-ol, 190
—— sterols, rat liver, 190
—— succinic acid, 478
—— triglycerides, monounsaturated (silica gel-silver nitrate), 444
—— triglycerides (silica gel-silver nitrate), 345
—— triglycerides (silver nitrate), 197, 288
—— of 3α-, 7α-, 12α-trihydroxycoprostanic acid, 82
—— two-dimensional procedure, 599, 607
—— two-dimensional (solvent systems), 599, 607
—— wax esters, 28
—— weight, radioactivity anal of lipid classes, 41
Chromium trioxide, oxidation, 9
Classification, of hereditary neuropathological disease, 176
Clupea harengus. See oil, fish
Cocoa butter, fatty acid profile of triglycerides, 444
—— stereospecific anal, triglycerides, 444
Coconut oil, hardened, in rat diet, 571
—— solvent for cholesterol, 526
Cod (Gadus morrhua), lipoxygenase oxidation, 441
Cod (Gadus morrhua) brain, gangliosides, 486
Cofactor, lipid emulsifier for acid lipase, castor bean, 177
Cold, rat growth effect, 413
Cold-exposed rats, fat cells, 413
Cold stress, on retinal oxidase from rat liver, 109
—— on retinal reductase from rat liver, 109
Comparative biochemistry, gangliosides, 13 vertebrate species, 488
Configurations, optical, of *threo*-12,13-dihydroxyoleic acids and derivatives, 50
Congenital tremor, pig spinal cord, fatty acid profile, 623
—— pig spinal cord, lipid comp, 623
—— pig spinal cord, phospholipid comp, fatty acid profile, 623
Copper, dietary, pig, effect on triglyceride comp, 345
Cordia verbenacea. See oilseeds
Cordia verbenacea D.C., cyanogenetic lipid, 617
Coriolic acid. (See (R)-13-hydroxy-*cis*-9, *trans*-11, octadecenoic acid
—— See also coriolin
Coriolin, oilseeds, 99
—— See also mono-, di-, tri-coriolin
Corlic acid. See also 13-(cyclopent-2-enyl) tridec-6-enoic acid
Corn oil, solvent for cholesterol, 526
Corn oil diet, rat, effect on fatty acid oxidation, 478
Corpus callosum, human, white matter, sphingolipids, 550
Corpus luteum, bovine, *in vitro* β-carotene biosynthesis, 227
Cottonseed oil, Wesson oil, hydrolysis by acid lipase, 261
Cotyledon, soybean, cell-free fractions prep, 539
Countercurrent distribution, fatty acids methyl esters from *Thymus vulgaris*, 9
—— methyl dinitrophenyl phosphatidyl ethanolamine, 304
—— phosphatidyl cholines, 304
—— solvent system, 617
—— solvent systems, methyl esters, 462
Crayfish, *Procambarus clarkii*, isolation, dtmn, 244
—— See also *Procambarus clarkii*
Crotalus atrox, phospholipase A (EC 3.1.1.4.), 466
—— See phospholipase A, EC 3.1.1.4.
Cyanogenetic lipids, in *Cordia verbenacea* seed oil, 617
—— structure dtmn, GLC, CCD, NMR, IR, ORD, 617
Cyclopentenyl fatty acids, mass spectra, 229
Cytophaga hutchinsonii, phosphatidyl ethanolamine, fatty acid profile, 15

D

1-Decylcyclohexane, mass spectrum, 229
7-Dehydrocholesterol, TLC, 190
Dehydromethostenol, bovine adipose tissue, dtmn, 369
—— bovine muscle, dtmn, 369
Density gradient preparation. See phthalic acid esters
Density gradient separation, of erythrocytes of different ages, 544
—— phthalic acid ester gradients, 544
Deoxycholic acid, effect on lipid micelle peroxidation, 582
Deoxygenation, reductive, of hydroxy fatty acids, 9
Deoxyribonucleic acid (DNA), seeds, Douglas fir radioactivity, 522
Desaturation, of linoleic and eicosa-8,11-14-trienoic acid, reciprocal inhibition, 621
Desaturation of fatty acids, soybean cotyledon, 539
Depletion ratio, retinal reductase-retinal oxidase ratio, 109
Detergents, effect on heme synthesis, 321
Deuterium content of ions, long chain aldehydes, 421
Development, pig spinal cord, congenital tremor, fatty acid profile, 623
—— fatty acid profile, 623
—— phospholipid comp, 623
Dialdehydes, GLC identification, 135
—— flame ionization detector, 135
—— unsaturated, partial ozonolysis of polyenes, 135
Dialysis, partition, gangliosides prep, 488
Dicarboxylic acids, from polyenoic acids, soybean cotyledon, 539
Dienols, conjugated, from *Carlina corymbosa* seed oils, 99
Diet, choline deficiency, effect on phosphatidyl choline synthesis, 67
—— choline deficiency, induction of fatty liver, 19
—— choline deficient, rat, 77
—— epoxy-fatty acid esters, rat, 142
—— fat and vitamin B_{12} on rat body weight, 478
—— retinol-free, rat, 109
—— retinyl acetate, rat, 109
Dietary cholesterol, anemia and bile acid conjugation, 216
—— effect on bile acids, 216
Dietary fat, rat, fatty acid profile, 501
Dietary oils, partial hydrogenated, comp, 507
Diet, baboon, fatty acid profile, 152
—— effect of adipose tissue, 152
—— effect on milk lipids, 152
Diet, gerbil, effect on fatty acid synthesis, comp, mammary glands, 575
—— effect of sunflower seeds on fatty acid profile of mammary glands, 575
—— sunoflwer seeds effect on fatty acid synthesis, mammary glands, 575
Diet, guinea pig, 216
Diet, pig, effect of copper on triglyceride comp, 345
Diet, rat, beef tallow, effect on fatty acid oxidation, 478
—— biotin deficiency, 478
—— corn oil, effect on fatty acid oxidation, 478
—— deficient in essential fatty acids, mitochondria swelling, 571
—— epoxy-fatty acid esters supplement, 142
—— essential fatty acid deficiency, 501
—— fatty acid content, 155
—— oil, hydrogenated (partial), 515
—— vitamin B_{12} deficiency, 478
Diglyceride acetates, of cocoa butter triglycerides, prep, 444
Diglycerides, in *Lepisma saccharina* L., 299
—— from phosphoglycerides pyrolysis, 301
—— rat testes metabolism, 41, 93
—— rat testis metabolism, trilinolein, 93
—— seeds, Douglas fir radioactivity, 522
Dihydrolanosterol, bovine adipose tissue, dtmn, 369
—— bovine muscle, dtmn, 369
—— See also Δ3,5-cholestadiene-7-one
16:Dihydrosphingosine, brain, human, 550
—— human brain, 550
—— methanolysis, GLC, 550
—— in multiple sclerosis, 550
18:Dihydrosphingosine, brain, human, 550
—— human brain, 550
—— methanolysis, GLC, 550
—— in multiple sclerosis, 550
Dihydrosterculic acid, from *Euphoria longana* seed oil, 317
—— See *cis*-8 (2-n-octylcyclopropan-1-yl) octadecanoic acid
Trans C_{40} 3,3'-Dihydroxy carotene, from *Mycoplasma laidlawii*, 331
3α, 7α Dihydroxycholanoic acid. See also chenodeoxycholic acid
Dihydroxynitrile diesters, *Cordia verbenacea* seed oil, GLC, CCD, NMR, IR, ORD, 617
2,3-Dihydroxypropylphosphonic acid, derivatives, 37
α,ω-Diiodoalkanes, mass spectra, 225
Dimethyl acetals, mass spectra, relative intensities of peaks, 421
—— prep, 421
—— thermal decomp, 421

1,2-^{14}C-Dimethylaminoethanol, incorporation into phosphatidyl choline, 67
3-oxo-6aβ,γ(R)-Dimethyl-2,3,4,6,6aβ,7,8,9,9aα,9bβ-decahydro-1H cyclopenta [f]quinoline-7β-butyric acid, from cholic acid microorganism, 224
3-oxo-6aβ,γ(R)-Dimethyl-2,3,4,6,6aβ,7,8,9,9aα,9bβ-decahydro-1H cyclopenta [f]quinoline-7β-butyramide, from cholic acid by microorganism, 224
3-oxo-6aβ,γ(R)-Dimethyl-2,3,4,6,6aβ,7,8,9,9aα,9bβ-decahydro-1H-cyclopenta[F]quinoline-7β-acetic acid, from cholic acid by microorganism, 224
4α-(2-carboxyethyl)-5-oxo-7aβ, γ (R)-Dimethyl-3aα-hexahydro Indan-1β-butyric acid, from cholic acid microorganism, 224
1,1-Dimethoxy tetradecane, mass spectra, 421
Dimorphecolic acid. See 9-hydroxy-*trans*-10, *trans*-12-octadecadienoic acid (18:2ω6H9)
Dimorphecolin, oilseeds, 99
—— See also 9-hydroxy-*trans*-10-*trans*-12-octadecadienin
2,4-Dinitrophenylhydrazones, formed *in situ* (TLC) from keto fatty acids, 356
1,3-Dioleoyl, 2-palmitoyl glycerol, hydrolysis, castor bean acid lipase, 261
α,ω-Diols, identification as α,ω-diiodides, 225
Dipalmitin, TLC solvent system, 129
1,3-Dipalmitoyl, 2-oleoyl glycerol, hydrolysis, castor bean acid lipase, 261
1,2-Dipalmitoyl-sn-glycero-3-[2′(trimethyl ammonium) ethyl phosphonic acid, synthesis, MP, IR, TLC, 37
Diphenylphosphine, and thiophenol catalyst in isomerization, 283
Diphosphatidyl glycerol, 599, 607
—— human aorta, effect of age, 232
—— in human brain endothelial cells and nuclei, 234
—— lung, rat, mouse, frog, bovine, human, 243
—— rat testis metabolism, trilinolein, 93
Disease, cerebral lipidoses, classification, 176
Disialo-. See di-neuraminyl
Divernolins, *Erlangea tomentosa* seed oil, 473
—— oilseeds, 99
—— rat tissues, 142
DNA. See deoxyribonucleic acid
Docosahexaenoic acid, in *Schistosoma mansoni*, 31
Docosahexaenoic acid (22:6), in phosphatidyl cholines, rat, 19
Docosahexaenyl alcohol, fish roe, 303
Docosanoic acid, methyl ester GLC, 129
Docosanol (22:0 alc). See also behenyl alcohol
Docosatrienoic acid (22:3ω8), in rat diet, as essential fatty acids, 571
Dodecanal, mass spectra data, 421
Dodecanoic acid, Δ9,10-desaturation by hen liver, inhibition by cyclopropenes, 265
Dog, ethionine on plasma phospholipid turnover, 408
—— triglyceride profile of tissues, 288
Dog adrenals cholesterol, conc, effect of catecholamines, 533
Dog aorta, cholesterol conc, effect of catecholamines, 533
—— cholesterol conc, effect of catecholamines, epinephrine, norepinephrine, 533
Dog blood plasma, cholesterol, half-life, effect of catecholamines, 533
Dog brain, gangliosides, 488
Dog carotid artery cholesterol, conc, effect of catecholamines, 533
Dog choline, liver phospholipids release to plasma, 408
—— plasma phospholipid turnover, 408
Dog erythrocytes, cholesterol conc, effect of catecholamines, epinephrine, norepinephrine, 533
Dog heart cholesterol, conc, effect of catecholamines, 533
Dog kidney, cholesterol conc, effect of catecholamines, 533
—— triglyceride profile, 288
Dog lipids, plasma turnover in relation to triglyceride cycle, 408
Dog liver, cholesterol conc, effect of catecholamines, 533
—— phospholipids in triglyceride cycle, 408
—— in triglyceride cycle, 408
—— triglyceride profile, 288
Dog lungs, cholesterol conc, effect of catecholamines, 533
Dog muscle (skeletal), cholesterol conc, effect of catecholamines, 533
—— triglyceride profile, 288
Dog myocardium, triglyceride profile, 288
Dog pancreas, cholesterol conc, effect of catecholamines, 533
Dog plasma, cholesterol conc, effect of catecholamines, epinephrine, norepinephrine, 533
—— phospholipids, ethionine effects, 408
—— phopholipids in triglyceride cycle, 408
—— phospholipid turnover after ethionine, 408
—— radioactive phospholipids in plasma, prep, 408
Dog renal artery, cholesterol conc, effect of catecholamines, 533
Dog skin, cholesterol conc, effect of catecholamines, 533
Dog tissue, cholesterol conc, effect of catecholamines, epinephrine, norepinephrine, 533
Double bond location, dtmn, permanganate-periodate oxidation, 539
Double bond positions determination, mass-GLC spectra, 619
cis-5 Double bonds, 462
trans-Double bonds, in fatty acid standards, 441
trans-5 Double bonds, 462

E

Earthworms, fatty acid profile, 363
—— hydrocarbon content, 363
—— neutral fat, 363
—— neutral lipids, TLC, 363
—— phospholipids, 363
—— pigments, 363
—— sterol content, GLC, 363
—— unknown acid, IR, 363
—— See also *Lumbricus terrestris*
EC 1.1.1.1. See retinal reductase
EC 1.2.1.3. See retinal oxidase
EC 1.99.2.1. See lipoxygenase (formally lipoxidase)
EC 2.3.1. See acetyl-coenzyme A acetyl transferase
EC 2.4.1. See UDP-2-acetylamine-2-deoxy-D-galactose: glycolipid acetylaminodeoxygalactose transferase
—— See UDP-gal: galNAC-gal-glc-cer galactosyl transferase
—— See also UDP-(N-acetyl)galactosamine: gal-glc-cer-N-acetyl galactosamine transferase
EC 2.7.1.1. See ATP: D-hexose 6-phosphotransferase: hexokinase
EC 2.7.1.2. See ATP: D-glucose 6-phosphotransferase; glucokinase
EC 2.7.1.11. See ATP: D-fructose-6-phosphate 1-phosphotransferase; phospho fructokinase
EC 2.7.1.40. See ATP: pyruvate phosphotransferase; pyruvatekinase
EC 3.1.1. See *Geotrichum candidum* lipase (glycerol ester *cis*-9-unsaturated fatty acid-hydrolase)
EC 3.1.1.3. See glycerol ester hydrolase
—— See glycerol ester hydrolase (lipase)
—— See lipase
—— See pancreatic lipase (glycerol ester hydrolase)
EC 3.1.1.4. See phosphatide acyl-hydrolase (phospholipase A)
—— See phospholipase A
—— See phospholipase A (phosphatide acylhydrolase)
EC 3.1.3.1. See orthophosphonic acid monoester phosphohydrolase; alkaline phosphatase
EC 3.1.4.3. See phosphatidyl cholinephosphohydrolase (phospholipase C)
EC 4.2.1. See *cis*-5-alkenoic acid hydratase
EC 4.99.1.1. See protoheme ferrolyase
EC 5.1.3. See UDP-(N-acetyl) glucosamine-4-epimerase
EC 6.2.1. See acid-GA ligase (GTP dependent)
EC 6.2.1.1. See acetic acid: coenzyme A lipase
EC 6.2.1.3. See acid: CoA ligase (AMP)
Eel, electric *(Electrophorus electricus)*, brain gangliosides, 488
Egg yolk, phospholipids, 308, 466
Eicosadienoic acid (20:2ω6), synthesis in mammary gland homogenate, 575
Eicosa-9,12-dienoic acid, methyl ester, *cis-trans* equilibrium, 283
Eicosanoic acid, methyl ester GLC, 129
Eicosanoic acid (20:0), eicosanol (20:0 alc) ester, synthesis, melting point, 28
—— *cis*-9-hexadecenenol (16:1ω7) ester, synthesis, melting point, 28
—— myristyl (14:0 alc) ester, synthesis, melting point, 28
—— *cis*-9-octadecenol (18:1ω9) ester, synthesis, melting point, 28
—— palmityl (16:0 alc) ester, synthesis, melting point, 28
—— stearyl (18:0 alc) ester, synthesis, melting point, 28
Eicosanol (20:0 alc). See also arachidyl alcohol
Eicosasphingosine. See 20:sphingosine
Eicosatetraenoic acid (20:4ω6), in rat diet, as essential fatty acids, 571
5,11,14-Eicosatrienoic acid, radioactive from *Ginkgo biloba*, 484
Eicosa-8,11-14-trienoic acid desaturation, inhibition by linoleic acid, 621
Elaidic acid, glucokinase (EC 2.7.1.2.), inhibition by, 388
—— methyl ester, *cis-trans* equilibrium, 283
Electric eel, *(Electrophorus electricus)* brain, gangliosides, 488
Electron microscopy, bovine brain endothelial cells, 234
—— bovine brain nuclei, 234
—— brain mitochondria, 428
—— human brain endothelial cells, 234
—— human brain nuclei, 234
—— mitochondria, brain, 428
—— myelin, heavy and light, 239
—— spheresomes, castor bean, 177
—— subcellular fractions, 239
Electrophoresis, agarose gel, human serum lipoproteins, 55

—— cellulose acetate, α-2-lipoprotein, human plasma, 397
—— immuno-, anal, protein activator for acid lipase, 177
—— paper, 4 hr lipoprotein bands, blood serum, 186
—— paper, human serum lipoproteins, 55, 60
—— paper, Oil Red O stain in 52.8% ethanol, 186
—— paper, solvent-extracted paper strips, lighter background, 186
—— polyacrylamide gel, lipoxidase isoenzymes, 209
—— starch-gel thin-layer, human serum lipoproteins, 60
Electrophorus electricus. See eel, electric
Eleostearic acid. See 9,11,13-octadecatrienoic acid (18:3ω5)
α-Eleostearic acid. See *cis, trans, trans*, 9,11,13-octadecatrienoic acid (18:3ω5)
Enamine lactams, microbiological degradation products of cholic acid, 224
Endocrine control, of fat mobilization in rats, 413
—— isolated fat cells, fat mobilization, rat, 413
Endothelial cells, bovine brain, isolation and phospholipid comp, 234
Enterohepatic circulation, rat bile acids, 147
Environmental temperature, fat pad lipid content, rat, 413
Enzymes, hydratase (hydro-lyase) EC 4.2.1., induced by *cis*-9-fatty acids in *Pseudomonas* spp., 356
—— hydratase (hydro-lyase) EC4.2.1. See *cis*-9-alkenoic acid hydratase
—— radiation inactivation, protection by methyl octadecadienoates, 398
Epididymal fat pad, rat, epoxy-fatty acid content, 142
Epididymal fat pad mass, function of rat body weight, 413
Epinephrine, effect on aorta cholesterol conc, in dogs, 533
—— effect on erythrocytes cholesterol conc, in dog, 533
—— effect on plasma cholesterol conc, in dog, 533
—— See also catecholamines
Epoxy-fatty acids. See fatty acids, epoxy
Epoxyoleic acid. See *cis*-12,13-epoxy-9-octadecenoic (18:1ω9E12)
—— See D-(+)-*cis*-12,13-epoxyoleic acid
—— See also vernolin, mono-, di-, or tri-
Equivalent chain length, calculation, GLC, 135
Ergosterol, bovine adipose tissue, dtmn, 369
—— bovine muscle, dtmn, 369
—— in earthworm, 363
—— See also Δ^5-androsten-17α-methyl-3β,17β-diol
Erlangea tomentosa seed oil, 473
Erythrocytes, age and fatty acid profile, 544
—— age, isolation prep, 544
—— dog, cholesterol conc, effect of catecholamines, epinephrine, norepinephrine, 533
—— fatty acid isolation, 544
—— isolation, prep, 544
—— isolation, separation of cells of different ages, 544
—— ovine, fatty acid comp, 350
—— polycythemic, fatty acid profile, 544
Erythrocytes, human, effect of aging of cells, fatty acid profile, 544
—— lysophosphatidyl choline conc, 544
—— phosphatidyl choline conc, 544
—— phosphatidyl ethanolamine conc, 544
—— phosphatidyl inositol conc, 544
—— phosphatidyl serine conc, 554
—— phospholipid comp, 544
—— sphingomyelin conc, 544
ESR. See spectra, electron spin resonance
Essential fatty acids, bioassay criteria, 571
—— effect on rat growth, 571
Ester formation, procedure, 9
Esters. See fatty acids, ester
—— See specific fatty acid
Ethers, alkyl glyceryl, phosphatidyl ethanolamine, 466
—— mass spectra, 421
—— methyl alk-1-enyl, prep, 421
Ethionine, induction of fatty liver, 19
—— liver phospholipid mobilization, 401
—— liver phospholipid mobilization, delayed effects of single dose on rat, 401
—— liver phospholipid turnover, rat, 401
—— phospholipid turnover during recovery, rat, 401
—— plasma phospholipid turnover, dogs, 408
—— plasma phospholipid turnover, rat, 401
2-(trimethylammonium)Ethylphosphonic acid, derivatives, 37
Euphoria longana. See oilseeds
Extraction of lipids, solvent system, tissue with large quantity of water, 300

F

Fasting, rat, triglyceride cycle, 401
—— triglyceride cycle effect on, rat, 401
Fat, adipose, baboon, fatty acid profile, 152
—— dietary, rat, fatty acid profile, 501
—— pig adipose tissue, effect of dietary copper, comp, 345
—— rat mesenteric, radioactivity from hydroxy tetracosanoic acid, 129
Fat cells, from cold-exposed rats, 413
—— isolation, prep, 413
Fat infiltration of tissues, rat liver, 19
—— See also fatty livers
Fat mobilization, endocrine control in rats, 413
—— isolated fat cells, rat, 413
Fat pad, epididymal, rat, epoxy-fatty acid content, 142
—— mass epididymal, function of rat body weight, 413
Fatty acid desaturation, soybean cotyledon, 539
Fatty acid profile, of arachis oil, 507
—— of baboon adipose tissue, 152
—— of baboon milk lipids, 152
—— bovine milk fat triglycerides, 197
—— *Carlina acaulis*, 99
—— *Carlina corymbosa*, 99
—— cerebroside, 428
—— cerebroside sulfatides, brain, human, 428
—— of chimpanzee serum lipoproteins, 1
—— congenital tremor, developing pig spinal cord, 623
—— developing pig spinal cord, 623
—— dog kidney, triglycerides, 288
—— dog liver triglycerides, 288
—— dog myocardium triglycerides, 288
—— dog muscle, skeletal, triglycerides, 288
—— dog plasma, arterial, triglycerides, 288
—— dog plasma, venous, triglycerides, 288
—— earthworm, 363
—— of epoxy-fatty acid containing glycerides, 142
—— from *Erlangea tomentosa* glycerides, 473
—— erythrocytes, human, age of cells, 544
—— *Euphoria longana* seed oil, 317
—— fish roe wax, 303
—— gangliosides of bovine retina, 205
—— gangliosides, (cat, dog, pig, sheep), 488
—— *Ginkgo biloba*, 484
—— of guinea pig liver microsome phosphatidyl choline, 102
—— of guinea pig liver mitochondria phosphatidyl choline, 102
—— of hamster liver microsome phosphatidyl choline, 102
—— of hamster liver mitochondria phosphatidyl choline, 102
—— of herring oil, 507
—— of human erythrocytes, age of cells, 544
—— of human serum lipoproteins, 1
—— of human skin surface lipids, 79
—— *Lepisma saccharina* L. lipids, 299
—— of *Leptospira interogans*, 166
—— liver phosphatidyl cholines, rat, 67
—— mammary gland homogenate floating fat, gerbil and rat, 575
—— mammary gland homogenate, gerbil and rat, 575
—— mammary glands, gerbil, effect of dietary sunflower seeds, 575
—— of microsome membrane, rat liver, 582
—— milk fat triglycerides, bovine, 197
—— milk fat triglycerides, sheep, 562
—— milk fat triglycerides, goat, 562
—— mitochondrial cerebroside, 428
—— monogalactosyl diglyceride species, 311
—— of mouse liver microsome phosphatidyl choline, 102
—— of mouse liver mitochondria phosphatidyl choline, 102
—— mouse preputial gland lipids, 435
—— mouse preputial gland, plasmalogens, 435
—— mouse preputial gland triglycerides, 435
—— mouse preputial gland wax esters, 435
—— of phosphatidyl choline, liver, effect of sex, age, species, 102
—— phosphatidyl choline, from liver microsomes, normal and fatty livers, 19
—— phospholipids, *Tenebrio molitor* L. larvae, 293
—— phosphatidyl choline, from liver mitochondria, normal and fatty livers, 19
—— of phosphatidyl choline, microsome membrane, rat liver, 582
—— phosphatidyl choline, rat liver, 304
—— phosphatidyl ethanolamine, *Cytophaga hutchinsonii*, 15
—— of phosphatidyl ethanolamine, egg yolk, 466
—— of phosphatidyl ethanolamine, microsome membrane, rat liver, 582
—— phosphatidyl ethanolamine, rat liver, 304
—— of phosphatidyl inositol, microsome membrane, rat liver, 582
—— pig adipose tissue, effect of dietary copper, 345
—— pig spinal cord, congenital tremor, 623
—— plant lipids, 484
—— of rabbit fetus liver microsome phosphatidyl choline, 102
—— of rabbit fetus liver mitochondria phosphatidyl choline, 102
—— of rabbit liver microsome phosphatidyl choline, 102
—— of rabbit liver mitochondria phosphatidyl choline, 102
—— of rat liver microsome phosphatidyl choline, 102
—— of rat liver mitochondria phosphatidyl choline, 102
—— *Schistosoma mansoni*, from two murine strains, 31

—— sheep erythrocytes, HK and LK cells, 350
—— of soybean oil, 507
—— sulfatide lipids, brain, human, 428
—— *Tenebrio molitor* L. larvae phospholipids, 293
—— testicular lipids, 41, 93
—— of *Teucrium depressum* seed oils, 462
—— triglycerides, bovine milk fat, 197
—— triglycerides, cocoa butter, 444
—— triglycerides of milk, goat, 562
—— triglycerides of milk, sheep, 562
Fatty acids, ^{14}C-acetic acid incorporation, *Ginkgo biloba*, 484
—— anteiso, dtmn, rapid micro method, 83
—— baboon adipose tissue, 152
—— baboon milk lipids, 152
—— biosynthesis, in milk, 562
—— branched-chain, methyl-, micro method to position, 83
—— chain-shortening of keto fatty acids, *Pseudomonas*, spp., 356
—— conjugated, in partial hydrogenated oils, 507
—— conjugated trienoic, 89
—— cyclic, mass spectra of deuterated compound, 229
—— cyclopropene, effect on Δ9,10-desaturation, 265
—— cyclopropene, inhibitor of fatty acid Δ9,10-desaturase, 265
—— cyclopropene, methyl ester prep, boron trifluoride, 118
—— Δ9,10-desaturase-EC 1.3.99, effect of chain length, 265
—— Δ9,10-desaturase-EC 1.3.99, in hen liver, 265
—— Δ9,10-desaturase-EC 1.3.99, inhibition by cyclopropene fatty acids, 265
—— earthworm, 363
—— geometric isomers, dtmn by IR, GLC, 627
—— glucokinase (EC 2.7.1.2.), inhibition by, 388
—— heptadecanoic acid metabolism, rat liver, 615
—— *cis*-11-hexadecenoic acid, of parasitic leptospire, 166
—— hexokinase (EC 2.7.1.1.), inhibition by, 388
—— of human skin surface lipids, 79
—— hydration of *cis*-9 to (—)-D-10-hydroxy by hydratase of *Pseudomonas* spp., 356
—— hydrogen bromide reactive, from *Carlina* seed oils, 99
—— hydroxyl, polyunsaturated hydroxyl trimethylsilyl ether, 619
—— inhibitors of glycolytic enzymes, 388
—— iso, dtmn, rapid micro method, 83
—— of *Leptospira interogans* serotype *ballum* S 102, 166
—— long chain metabolism, rat, 129
—— metabolism *in vivo*, rat, 155
—— methyl esters, GLC, 159
—— methyl ester, TLC solvent system, 129
—— in milk fat triglycerides, goat, 562
—— in milk fat triglycerides, sheep, 562
—— odd chain, 129
—— oxidation, rat muscle mitochondria, 478
—— α-oxidation of, 9
—— β-oxidation, chain-shortening of keto-fatty acids by *Pseudomonas* spp., 356
—— β-oxidation in rat, 155
—— pool, importance in lipid class synthesis in testes, 41
—— pool in lipid metabolism, role of, 93
—— positional distribution in goat milk triglycerides, 562
—— positional distribution in sheep milk triglycerides, 562
—— positional distribution, triglycerides, bovine milk fat, 197
—— pyruvate kinase (EC 2.7.1.40.), inhibition by, 388
—— rat liver metabolism, 615
—— rat testes metabolism, 41
—— relationship to alcohols, fish roe, 303
—— seeds, Douglas fir radioactivity, 522
Fatty acids, epoxy, from *Carlina corymbosa* seed oils, 99
—— diet supplement, rat, 142
—— from *Erlangea tomentosa* glycerides, 473
—— glycerides profile, 142
—— methyl ester prep, boron trifluoride, 118
—— rat diet supplement, 142
—— rat tissues, from diet, 142
Fatty acids, essential, lipoxidase specificity, 441
—— relative turnover of phospholipids, 304
Fatty acids, essential, deficiency in rats, caloric efficiency, 501
—— caloric intake, 501
—— epididymis degeneration, 501
—— feet, 501
—— gross signs, 501
—— growth rate, 501
—— neutral lipids, 515
—— pigmentation, 501
—— scaliners, 501
—— skin, 501
—— spermatogenic tissue degeneration, 501
—— tail, 501
—— testis degeneration, 501
—— testes lipids, 515
—— testes phospholipids, 515
Fatty acids, free, in *Lepisma saccharina* L., 299
—— liver, effect of polyunsaturated fatty acids, 77
—— metabolism in rat liver, 77
—— rat testis metabolism, trilinolein, 93
Fatty acids, hydroxy, (-)-D-10-hydroxy from *cis*-9-fatty acids by *Pseudomonas* spp., 356
—— mass spectra, 225
—— metabolism, rat, 129
—— methyl ester prep, boron trifluoride, 118
—— naturally occurring, in seed oil, 450
—— profile, cerebroside sulfatides, brain, human, 428
—— profile, sulfatide lipids, brain, human, 428
—— in *Thymus vulgaris* seed oil, 9
Fatty acids, ω-hydroxy, identification as α,ω-diiodoalkanes, 225
Fatty acids, 10-hydroxy, biosynthesis, 356
Fatty acids, (-)-D-10-hydroxy, biosynthesis, 356
—— mass spectra, 356
—— optical rotatory dispersion, 356
Fatty acids, unsaturated, conjugated trienoic, 89
—— dienoic acid profiles of human skin surface lipids, 79
—— essential, bioassay criteria, 571
—— essential, metabolism *in vivo*, rat, 155
—— essential, oxidation to carbon dioxide, 155
—— geometric isomer dtmn by IR and GLC, 627
—— geometric isomers, 283, 501
—— from human skin surface lipids, 79
—— isolation flow chart, 79
—— isomers, 501
—— mercuric acetate adduct, 129
—— methyl esters, identification by partial ozonolysis, 135
—— monoenoic acids, formation of, in hen liver, 265
—— γ-oxidation, 478
—— positional isomers, 501
—— profile, brain, gray matter, human, 428
—— profile, brain, white matter, human, 428
—— profile, mitochondria, brain, human, 428
—— protect alkaline phosphatase against γ-radiation damage, 398
Fatty acids, unsaturated poly-, bioassay criteria of essential fatty acids, 571
—— double bond position dtmn, 619
—— effect on rat growth, 571
—— GLC, TLC, spectra IR, UV, 507
—— hydroxyl trimethylsilyl ether, 619
—— isomers, 501
—— lipoxygenase oxidation, 441
—— in marine oil, 441
—— oxidation, effect of hemes, 454
—— 18:3ω4, in rat diet, as essential fatty acids, 571
—— 19:3ω5, in rat diet, as essential fatty acids, 571
—— 20:4ω6, in rat diet, as essential fatty acids, 571
—— 21:4ω7, in rat diet, as essential fatty acids, 571
—— 22:3ω8, in rat diet, as essential fatty acids, 571
Fatty acids, unsaturated, poly-methyl esters, diet on free fatty acids in rat liver, 77
Fatty acid synthesis, mammary gland homogenate, gerbil and rat, 575
trans Fatty acids, in partially hydrogenated oil, 507
Fatty alcohol profile, fish roe wax, 303
—— mouse preputial gland glycerol alkyl ethers, 435
—— mouse preputial gland glycerol alk-1-enyl ethers, 435
—— mouse preputial gland wax esters, 435
Fatty alcohols, comparison with acids, fish roe, 303
—— polyunsaturated structure, fish roe, 303
Fatty aldehydes, 421
—— from o-alk-1-enyl glycerols, 327
—— anal of free and bound, method, 278
—— mass spectra, relative intensities of peaks, 421
—— p-nitrophenylhydrazone synthesis, 278
Fatty livers, induction by choline deficiency diet, 19
—— induction by ethionine, 19
—— rat, induction by carbon tetrachloride, 19
—— rat, phosphatidyl cholines, 19
—— rat, phospholipids, 19
—— rat, protein, 19
Feces, rat, epoxy-fatty acid content, 142
Feedback inhibition, liver carbohydrate, fatty acid metabolism, 388
Fetus, rabbit liver, phosphatidyl choline, effect of sex, age, 102
FFA. See fatty acids, free; i.e. non-esterified
Fibers, seeds, Douglas fir radioactivity, 522
Fish, cod, brain gangliosides, 488
Fish, Gadus morrhua, brain gangliosides, 488
Fish, Mugil cephalus roe, wax comp, 303
Fish, Trichogastes cosby roe, wax comp, 303
Fish oil. See oil, fish
Fish oils, hydrogenated (partial), as dietary fats, 501
Fish roe, wax esters, 303
Flounder (Pseudopleuronectes americanus), lipoxygenase oxidation, 441
Flow chart, of unsaturated fatty acids isolation from human skin surface lipids, 79
Fluke, blood. See *Schistosoma*
Fragmentation mechanisms, aldehydes, 421

Fragmentation patterns, mass spectra of α, ω-diiodoalkanes, 225
Frederickson Type IV hyperlipoproteinemia, 397
Frederickson Type IV hypertriglyceridemic rat, lipid changes with age and sex, 384
Frog, phospholipids, from kidney, liver, heart muscle, skeletal muscle, 599, 607
Frog brain, myelin isolation, phospholipid comp, 239
—— UDP-gal:galNAC-gal-glc-cer galactosyl transferase, 270
Frog kidney, UDP-gal-galNAC-gal-glc-cer galactosyl transferase, 270
Frog liver, UDP-gal: galNAC-gal-glc-cer galactosyl transferase, 270
Frog lung, phospholipid comp, 243
Frog myelin, isolation, phospholipid comp, 239
Frog (Rana pipiens) brain, gangliosides, 488
Frog spinal cord, myelin isolation, phospholipid comp, 239

G

Gadus morrhua. See oil, fish
Galactolipids, stabilizing methyl galactosides after methanolysis, 167
—— See monogalactosyl diglyceride
Galactose, incorporation into sphingolipids, rat brain, 163
UDP-Galactose:galNAC-gal-glc-cer galactosyl transferase, EC 2.4.1., 270
Galactoside, anomers formed by methanolysis, 167
Galactosyl ceramide, distribution in monkeys, 496
—— x-ray diffraction powder pattern, 496
Galactosyl ceramide-^{3}H, tritium excretion in monkeys, 496
—— x-ray diffraction powder pattern, 496
Galactosyl-glucosyl ceramide, pig bone marrow, 556
Galactosyl transferase, brain, frog, subcellular distribution, 270
—— brain, frog, tadpole, adult and baby rats, synthesis of gal-galNAC-gal-glc-cer, 270
—— intestine, rat, baby, synthesis of gal-galNAC-gal-glc-cer, 270
—— kidney, frog, tadpole, adult and baby rats, synthesis of gal-galNAC-gal-glc-cer, 270
—— liver, frog, tadpole, adult and baby rats, synthesis of gal-galNAC-gal-glc-cer, 270
Gall bladder, bile acid comp, 216
Gallstones, cholesterol-fed, anemic guinea pigs, 216
Ganglioside biosynthesis, 589
—— brain, frog, tadpole, adult and baby rats, 270
—— intestine, rat, baby, 270
—— kidney, frog, tadpole, adult and baby rats, 270
—— liver, frog, tadpole, adult and baby rats, 270
Gangliosides profiles, vertebrate species (cat, dog, pig, sheep), 488
Gangliosides, of bovine retina, 205
—— brain, survey of 13 vertebrate species, 488
—— TLC anal, 205
Gangliosidoses, classification, 176
—— heterogeneous gangliosides storage disease, 76
Geometric isomers, dietary oils, partial hydrogenated, 507
—— of unsaturated fatty acid esters, dtmn, 627
Goetrichum candidum. See microorganisms, also lipase
Geotrichum candidum lipase, stereospecific anal of monounsaturated triglycerides, 444
Gerbil diet, effect on fatty acid synthesis, comp, mammary glands, 575
Gerbil lactating mammary gland, fatty acid synthesis, 575
Ginkgo biloba, lipids of, 484
—— lipids, fatty acid profile, 484
γ_2-Globulin-lipoprotein, complex, 60
Glucokinase EC 2.7.1.2., inhibition by fatty acids and acetyl-CoA, 388
Gluconeogenesis, stimulation by fatty acid and acetyl-CoA, 388
O-α-D-Glucopyranosyl-(1→1)diglyceride, from *Mycoplasma laidlawii,* 331
O-α-D-Glucopyranosyl-(1→2)-O-α-D-glucopyranosyl-(1→1) diglyceride, *Mycoplasma laidlawii,* 331
Glucose, incorporation into sphingolipids, rat brain, 163
—— rat blood, effect of adrenalectomy, 115
—— rat blood, effect of triglyceride ingestion, 115
^{14}C-Glucose, incorporation into trihexosyl ceramide, 556
U-^{14}C-Glucose, seeds, Douglas fir, radioactivity incorporation, 522
Glucose tolerance, change with age and sex in a hypertriglyceridemic rat, 384
Glucosyl ceramide, biosynthesis in bone marrow cells, 556
—— pig leucocytes, 556
Glucosyl diglycerides, from *Mycoplasma laidlawii,* 331
Gluteus minimus, rat cholesterol, 123
Glyceride profile, of *Erlangea tomentosa* seed oil, 473
Glycerides, containing epoxy-fatty acids, 142
—— earthworms, 363
—— seeds, Douglas fir radioactivity, 522
—— tetra-acyl, 450
Glycerol-alk-1-enyl ethers, mouse preputial gland, fatty alcohol profile, 435
Glycerol alkyl ether, mouse preputial gland, fatty alcohol profile, 435
Glycerol ester hydrolase-EC 3.1.1.3., castor bean, 177
—— vernolins hydrolysis, 473
—— See also lipase
Glycerol phenyldichlorophosphate esters, prep, use in triglyceride anal, 444
Glyceryl ether diester, mouse preputial gland, 435
—— rat testes metabolism, 41
—— rat testis metabolism, trilinolein, 93
Glycochenodeoxycholic acids, in cholesterol-fed guinea pigs, 216
Glycolipid biosynthesis, 270
—— rat brain, 163, 589
Glycolipids, TLC, 270
Glycolipids (sphingolipids), TLC, 556
Glycolysis, inhibition by fatty acids, 388
Glycoprotein, protein activator for acid lipase, 177
O^1-Glycosyl sphingosine. See psychosine or specific glycosyl moiety
Goat milk, triglyceride fatty acid profile, 562
Gorlic acid, mass spectrum, 229
Gouramis. See fish, *Trichogastes cosby*
Growth, rat, as bioassay for essential fatty acids, 571
Growth curves, rats, effect of temp, 413
GTP. See guanosine triphosphate
GTP-Dependent acyl CoA synthetase, 459
Guanosine triphosphate. See GTP
Guide to authors, manuscript prep, 87
Guinea pig, gall bladder bile acid comp, 216
Guinea pig liver, phosphatidyl choline, effect of age, sex, 102

H

Halichoerus grypus. See oil, seal
Haliotis corrugata. See abalone
Hamster liver, phosphatidyl choline, effect of sex, age, 102
HDL. See lipoprotein, high density
—— See high density lipoprotein
Heart, dog, cholesterol conc, effect of catecholamines, 533
—— mouse, free and bound aldehydes, 278
—— rat, radioactivity from hydroxy tetracosanoic acid, 129
Heart muscle, phospholipids from rat, human, bovine, mouse, frog, 599, 607
Heart muscle disease, human brain lipids comp, 428
Helianthus annuus. See also sunflower seed oil
Heliothis virescens (F.), adult, triglyceride profiles, 159
—— diet, larvae, triglyceride profiles, 159
—— lipid content, 159
—— lipid extraction, 159
—— larvae, triglyceride profiles, 159
—— metamorphic stages, triglyceride profiles, 159
—— pupae, triglyceride profiles, 159
—— tobacco budworm, 159
—— triglyceride carbon number, 159
—— triglyceride fatty acid profile, 159
Hematocrit, change with age and sex in a hypertriglyceridemic rat, 384
Hemes, catalysis of lipid oxidation, pH effect, 454
—— complexes with linoleic peroxide as antioxidants, 454
Hemoglobin, change with age and sex in a hypertriglyceridemic rat, 384
Heneicosanoic acid, methyl ester GLC, 129
Heneicosatetraenoic acid (21:4ω7), in rat diet, as essential fatty acids, 571
Hepatic. See liver
4,4-d_2-Heptadecanal, prep, 421
Heptadecanoic acid, Δ9,10-desaturation by hen liver, inhibition by cyclopropenes, 265
—— methyl ester GLC, 129
—— See also margaric acid
cis-8, cis-11, cis-14-Heptadecatrienoic acid (17:3ω3), methyl ester, NMR spectrum, 4:9
cis, cis, cis-8,11,14-Heptadecatrienoic acid (17:3ω3), in *Thymus vulgaris* seed oil, 9
Herring (Clupea harengus), lipoxygenase oxidation, 441
Herring oils, hydrogenated (partial), as dietary fats, 501
—— partially hydrogenated, comp, GLC, fatty acid profile, 507
Hexadecanal, mass spectra data, 421
Hexadecanal (16:0 alc). See also palmityl alcohol
cis-5-Hexadecenoic acid, from *Carlina* seed oils, 99
cis-9-Hexadecenoic acid (16:1ω7), eicosanol (20:0 alc) ester, synthesis, melting point, 28
—— *cis*-9-hexadecenol (16:1ω7), ester, synthesis, melting point, 28
—— myristyl (14:0 alc) ester, synthesis, melting point, 28
—— *cis*-9-octadecenol (18:1ω9) ester, synthesis, melting point, 28
—— palmityl (16:0 alc) ester, synthesis, melting point, 28

cis-11-Hexadecenoic acid, from *Cytophaga hutchinsonii* lipids, 15
cis-11-Hexadecenoic acid (16:1ω5), unusual positional isomer from parasitic leptospire, 166
trans-3-Hexadecenoic acid, in *Ginkgo biloba,* 484
cis-9-Hexadecenol (16:1ω7). See also palmitoleyl alcohol
DL-2-Hexadecoxy-3-octadecoxypropyl phosphonyl choline, synthesis, MP, IR, TLC, 37
Hexokinase EC 2.7.1.1., inhibition by fatty acids, 388
Hexosyl ceramide, pig leucocytes, comp, 556
High density lipoprotein, degradation by peroxide, 1
—— human serum, 55
High-potassium-low potassium, sheep erythrocytes, 350
Hinnites giganteum. See scallop
Histology, rat, essential fatty acid deficiency, 501
HK, high potassium. See sheep erythrocytes
Holarrhena antidysenterica seed oil, fatty acid profile, 9-D-hydroxy-*cis*-12-octadecenoic acid, 450
Human, fatty acid profile of serum lipoproteins, 1
—— phospholipids from kidney, liver, spleen, heart muscle, skeletal muscle, 599, 607
Human aorta, changes with age, 232
—— postmortem changes, 232
—— phospholipid comp, 232
—— regional variations in phospholipid comp, 232
Human brain, cardiolipin, 423
—— cerebrosides, fatty acid profile, 428
—— cerebroside sulfatide, fatty acid profile, 428
—— endothelial cells and nuclei, isolation and phospholipid comp, 234
—— fatty acid profiles, 428
—— lipid comp, 428
—— mitochondria, lipid comp, 428
—— myelin comp, 550
—— myelin isolation, phospholipid comp, 239
—— phosphatidyl choline, 428
—— phosphatidyl ethanolamine, 428
—— phosphatidyl serine, 428
—— plasmalogens, 428
—— sphingomyelin, 428
—— sphingosine content, chain-length distribution, 550
—— white matter, sphingolipids, 550
Human erythrocytes, effect of aging of cells, fatty acid profile, 544
—— isolation, prep, 544
Human leucocyte, sphingolipids containing hexoses, 556
Human α-2-lipoprotein, 397
Human low-density lipoproteins, sex differences, 337
—— S_f rates, hydrated densities and molecular weights, 337
Human lung, phospholipid comp, 243
Human myelin, isolation, phospholipid comp, 239
Human plasma lipoprotein, cellulose acetate electrophoresis, 397
Human pre-β-lipoprotein, 397
Human red blood cells, effect of aging of cells, fatty acid profiles, 544
Human serum, lipoprotein, 60
—— lipoproteins anal, 55
Human skin, surface lipids, 79
Human spinal cord, myelin isolation, phospholipid comp, 239
Hydrazine, partial reduction with, 462
Hydnocarpic acid, mass spectrum, 229
—— See also 11-(cyclopent-2-enyl) undecanoic acid
Hydnocarpus, cyclic fatty acids from, mass spectra of, 229
Hydratase (hydro-lyase) EC 4.2.1., induced in *Pseudomonas* spp., specific for *cis*-9 alkenoic acids,356
Hydration, enzymic, epoxyoleic acid, stereochemistry and mechanism of, 50
Hydrocarbons, earthworms, 363
Hydrogen bromide reactive fatty acids, from *Carlina* seed oils, 99
Hydrogen bonds, cholesterol and triglycerides, 526
Hydrogenated oils (partial), fatty acid profile, 501
Hydrogenation, catalytic, of unsaturated fatty acids, 9
Hydrogen peroxide, effect on cholesteryl esters, 1
—— effect on lipoproteins, 1
10-Hydroxy fatty acids, stereospecific biosynthesis, 356
(-)-D-10-Hydroxy fatty acids, anaerolic formation by *Pseudomonas* spp, 356
α-Hydroxylinolenic acid, in *Thymus vulgaris* seed oil, 9
2-Hydroxylinolenic acid (18:3ω3), methyl ester. See 2-hydroxy-*cis*-9, *cis*-12, *cis*-15-octadecatrienoic acid (18:3ω3) methyl ester
10-Hydroxymyristic acid, biosynthesis, 356
9-D-Hydroxyoctadecenoic acid, methyl ester, optical rotatory dispersion spectrum, 450
2-Hydroxy-cis-9, cis-12, cis-15-octadecatrienoic acid (18:3ω3) methyl ester, IR, NMR, ORD spectra, 9
9-D-Hydroxy-cis-12-octadecenoic acid, methyl ester, optical rotary dispersion spectrum, 450
—— in seed oils, 450
12-Hydroxy-cis-9-octadecenoic acid, cyclic tetramer, lipid cofactor for lipase, 177
(-)-D-10-Hydroxypalmitic acid, methyl ester, m.p., mass spectra, optical rotatory dispersion, biosynthesis, 356
(-)-D-10-Hydroxystearic acid, methyl ester, m.p., mass spectra, optical rotatory disperson, biosynthesis, 356
2-Hydroxy tetracosanoate, metabolism, rat, 129
Hypercholesterolemia, experimental, rat, 147
—— induced by phosphatidyl choline, 123
Hyperlipoproteinemia, Frederickson Type IV, 397
Hypertriglyceridemia, rat, lipid changes with age and sex, 384

I

Immunoelectrophoresis. See electrophoresis, immuno-
Infusion, preparative radioactive plant lipids, 484
Inhibition, reciprocal effect of linoleic and eicosa-8,11,14-trienoic acid desaturation, 621
Intestine, rat, baby, UDP-gal:galNAC-gal-glc-cer galactosyl transferase, 270
—— cholesterol, 123
—— radioactivity from hydroxy tetracosanoic acid, 129
Isoenzymes, lipoxidase of peas, beans and wheat, 209
Isomers, *cis-trans* fatty acid equilibrium, 283
—— fatty acid geometric isomers, 501
—— fatty acids, micro method to differentiate, 83
—— fatty acid positional isomers, 501
—— geometric, dietary oils, partial hydrogenated, 507
—— methyl, position on fatty acid, 83
—— trans, of unsaturated fatty acids, 283
—— trans, synthesis, without double bond migration, 283
trans Isomerization, of unsaturated fatty acids, 283

K

Kamlolenic acid. See 18-hydroxy-*cis, trans, trans*-9,11,13-octadecatrienoic acid (18:3ω5H18)
4- and 6-Ketolauric acids, biosynthesis, mass spectra, 356
Kidney, phospholipids from rat, human, bovine, mouse, frog, 599, 607
Kidney, dog, carbon number distribution, 288
—— cholesterol conc, effect of catecholamines, 533
——triglyceride profile, 288
Kidney, frog, UDP-gal:galNAC-gal-glc-cer galactosyl transferase, 270
Kidney, mouse, free and bound aldehydes, 278
Kidney, rat, adult and baby, UDP-gal:galNAC-gal-glc-cer galactosyl transferase, 270
—— cholesterol conc, 147
—— radioactivity from hydroxy tetracosanoic acid, 129
Kidney, tadpole, UDP-gal:galNAC-gal-glc-cer galactosyl transferase, 270
Kinetics, of lipid peroxidation, 582

L

Labiatae seed oil, polyunsaturated fatty acids comp, 462
Lactation, baboon, changes in fatty acid profile, 152
—— gerbil mammary gland, fatty acid synthesis, 575
—— rat mammary gland, fatty acid synthesis, 575
Lactosyl ceramide, pig bone marrow, 556
Lanosterol, bovine adipose tissue, dtmn, 369
—— bovine muscle, dtmn, 369
—— TLC, 190
—— See also Δ^4-cholesten-3-one
Lauric acid, glucokinase (EC 2.7.1.2.), inhibition by, 388
—— hexokinase (EC 2.7.1.1.), inhibition by, 388
—— pyruvate kinase (EC 2.7.1.40.), inhibition by, 388
Lauric acid (12:0), myristyl (14:0 alc) ester, synthesis, melting point, 28
——palmityl (16:0 alc) ester, synthesis, melting point, 28
LDL. See lipoprotein, low density
—— See low density lipoprotein
Lecithin. See phosphatidyl choline
Lepisma saccharina L., fatty acid profile total lipids, 299
—— lipid comp, 299
—— phospholipid comp, 299
—— See also silver fish
Leptospira interogans, isolation of *cis*-11-hexadecenoic acid, 166
Leucocyte, human, sphingolipids containing hexose, 556
—— pig, isolation from blood, 556
—— pig, sphingolipids containing hexose, 556
—— pig blood, oligoglycosyl sphingolipids, 556
Linoleic acid, hydration of *cis*-9 bond to 10- hydroxy fatty acid, 356
—— mercuric acetate adduct, 129
—— methyl ester, *cis-trans* equilibrium, 283
—— methyl ester, as radiation protector, 398
—— oxidation, 454

—— γ-oxidation in rat, 478
—— oxidation, effect of hematin, hemoglobin, myoglobin, catalase cytochrome peroxidase, 454
—— in vivo and in vitro oxidation, γ-oxidation in rat, 478
1-^{14}C-Linoleic acid, conversion to other acids, rat testes, 41
Linoleic acid desaturation, inhibition by eicosa-8,11,-14-trienoic acid, 621
Linoleic acid (18:2ω4), spectra, mass, relative intensity of peaks, 619
Linoleic acid (18:2ω6), cholesterol synthesis, 155
—— in human erythrocytes, 544
—— metabolism compared to palmitic acid, 155
—— metabolism *in vivo*, rat, 155
—— methyl ester, free fatty acid profiles, rat liver, 77
—— oxidation to carbon dioxide, 155
—— in phosphatidyl cholines, rat, 19
—— spectra, mass, relative intensity of peaks, 619
—— synthesis in mammary gland homogenate, 575
Linolenic acid, hydration of *cis*-9 bond to 10-hydroxy fatty acids, 356
—— mercuric acetate adduct, 129
—— oxidation, 454
—— oxidation, effect of myoglobin, 454
γ-Linolenic acid, from linoleic acid into; effect of eicosatrienoic acid, 621
γ-Linolenic acid (18:2ω6), methyl ester, free fatty acid profiles, rat liver, 77
Linolenic acid (18:3ω4), spectra, mass, relative intensity of peaks, 619
Linolenic acid (18:3ω6), spectra, mass, relative intensity of peaks, 619
Linolenyl alcohol, fish roe, 303
Lipase, acid, castor bean, 177
—— acid, castor bean, EC 3.1.1.3, positional specificity studies, 261
—— acid, glycoprotein activator
—— acid, lipid cofactor, 177
—— acid, protein activator, 177
—— castor bean, 177
—— castor bean, purification and properties, 177
—— epoxy-fatty acid glycerides hydrolysis, 142
—— glycerol ester hydrolase EC 3.1.1.3., 444
—— glycerol ester *cis*-9-unsaturated fatty acid hydrolase EC 3.1.1., 444
—— subcellular localization in castor bean, 177
—— triglyceride-EC 3.1.1.3, enzyme prep, 177
Lipid classes, TLC anal, testis, 93
Lipid composition variability, of different species, 607
Lipid extraction, from baboon diet biscuits, 152
—— from bacteria, 15
—— from bile, guinea pig, 216
—— of bovine retina, 205
—— from brain, rat, 123
—— from *Chlorella vulgaris*, 311
—— from *Cytophaga hutchinsonii*, 15
—— from earthworm (*Lumbricus terrestris*), 363
—— from erythrocytes, 544
—— from fat cells isolated from rats, 413
—— from fat, mesenteric, rat, 129
—— from gall stones, guinea pig, 216
—— from *Ginkgo biloba*, 484
—— from heart, rat, 129
—— from *Heliothis virescens* (F.), 159
—— from human skin surface, 79
—— from intestine, rat, 123, 129
—— from kidney, liver, spleen, 599, 607
—— from kidney, rat, 129
—— from *Leptospira interogans* cells, 166
—— from liver, rat, 123, 129
—— from lung, rat, 123, 129
—— from mammary gland homogenates, 575
—— from milk, baboon, 152
—— from muscle, rat, 123
—— from muscle, skeletal, heart, invertebrate, 607
—— from muscle, skeletal, heart, vertebrate, 607
—— from pig bone marrow, 556
—— from pig leucocytes, 556
—— from plants, 484
—— from plasma, rat, 123
—— rat testis, 93, 515
—— saliva, human parotid, 380
—— from seeds, Douglas fir, 522
—— from seed oil of *Erlangea tomentosa*, 473
—— from seeds, *Pseudotsuga menziensii* F., 522
—— from skin, rat, 123
—— from spleen, rat, 129
—— from stomach, rat, 129
—— from testes, 515
—— from *Teucrium depressum* seeds, 462
—— from tissue with large quantity of water, 300
—— from tobacco budworm, 159
—— of unsaturated fatty acids from human skin surface lipids, 79
Lipid-lipid, interactions, 251
—— interactions, relevance to cell membranes, 251
Lipid metabolism, temporal, rat testis, 93
Lipidoses, cerebral, classification, 176
Lipid peroxidation, atherosclerosis, 1
—— kinetics, 582
—— lipoprotein stability, 1
Lipid-protein, interactions, 251
—— interactions, binding forces, 251
—— interactions, effects of metal ions, 251
—— interactions, electron spin resonance, 251
—— interactions, nuclear magnetic resonance spectroscopy, 251
—— interactions, x-ray studies, 251
Lipid-protein affinity, peroxide effects on, 1
Lipid-protein complex, rat liver microsome membrane, 582
Lipids, of bovine retina, gangliosides by TLC, 205
—— dog, plasma turnover in relation to triglyceride cycle, 408
—— effect in heme synthesis, 321
—— emulsion for injection, 93
—— *Ginkgo biloba*, 484
—— *Ginkgo biloba*, radioactive prep, 484
—— guide to authors, 87
—— human brain mitochondria, 428
—— of human skin surface, 79
—— incorporation of linoleic acid, rat, 41
—— mitochondria, human brain, 428
—— neutral, rat testis metabolism, trilinolein, 93
—— neutral, separation from phospholipids, 308
—— nitrile-containing, 617
—— plant, radioactive prep, 484
—— polar, rat testis metabolism, trilinolein, 93
—— polar, seeds, Douglas fir radioactivity, 522
—— rat liver choline after ethionine, 401
—— rat liver, ethionine, 401
—— of rat liver microsome membrane, 582
—— role in glucose and fatty acid permeability, 331
—— seeds, Douglas fir radioactivity, 522
Lipogenesis, seeds, Douglas fir, 522
Lipolysis, norepinephrine stimulated, fat pads, rats, 413
—— rat fat cells, isolated, 413
Lipoprotein, agarose gel compared with analytical ultracentrifuge, 55
—— anal by agarose gel, 55
—— anal by paper electrophoresis, 55, 60
—— fatty acid profile, 1
—— high density, degradation by peroxide, 1
—— human serum, 60
—— low density, degradation by peroxide, 1
—— paper electrophoresis compared with analytical ultracentrifuge, 55, 60
—— peroxidized, fatty acid profile, 1
—— plasma, human, cellulose acetate electrophoresis, 397
—— plasma, in rat hypertriglyceridemia, 384
—— serum, 186
—— serum, paper electrophoresis method, 186
—— starch-gel thin-layer electrophoresis, 60
—— ultracentrifuge anal, 1
α-Lipoprotein, baboon, cholesterol in, 82
α-2-Lipoprotein, human, 397
β-Lipoprotein, baboon, cholesterol in, 82
pre-β-Lipoprotein, human, 397
Lipoprotein-γ$_2$-globulin, complex, 60
Lipoprotein methodology, ultracentrifuge, computer techniques, 337
Lipoprotein stability, effects of peroxide on, 1
Lipoxidase, isoenzymes by gel electrophoresis, 209
—— isoenzymes in peas, beans, and wheat, 209
—— species variation in isoenzyme patterns, 209
—— staining procedure, polyacrylamide gel electrophoresis, 209
—— See lipoxygenase EC 1.99.2.1.
Lipoxidase extraction, from bean seed, 209
—— from peas, seed peas, 209
—— from *Phaseolus vulgaris*, 209
—— from *Pisum sativum* (peas), 209
Lipoxygenase, substrate specificity, 441
Lithium aluminum hydride, 9
Liver, in choline deficiency, rat, 19
—— in ethionine toxicity, rat, 19
—— fatty liver induction, 19
—— microsomes from rat fatty livers, 19
—— mitochondria from rat fatty livers, 19
—— phosphatidyl cholines, rat, 19
—— phospholipids from rat, human, bovine, mouse, frog, 599, 607
—— plasma cholesterol source, 123
Liver, dog, carbon number distribution, 288
—— cholesterol conc, effect of catecholamines, 533
—— phospholipids in triglyceride cycle, 408
—— in triglyceride cycle, 408
—— triglyceride profile, 288
Liver, frog, UDP-gal:galNAC-gal-glc-cer galactosyl transferase, 270
Liver, guinea pig, phosphatidyl choline, effect of sex, age, 102
Liver, hamster, phosphatidyl choline, effect of sex, age, 102

Liver, hen, fatty acid Δ9,10-desaturase activity, 265
Liver, mouse, free and bound aldehydes, 278
—— phosphatidyl choline, effect of sex, age, 102
Liver, rabbit fetus, phosphatidyl choline, effect of sex, age, 102
Liver, rabbit, phosphatidyl choline, effect of sex, age, 102
Liver, rat, adult and baby, UDP-gal:galNAC-gal-glc-cer galactosyl transferase, 270
—— cholesterol biosynthesis, inhibition by β-benzal butyric acid, 190
—— cholesterol biosynthesis *in vitro*, 190
—— cholesterol conc, 147
—— cholesterol synthesis, 155
—— epoxy-fatty acid content, 142
—— free fatty acids, polyunsaturated fatty acids on, 77
—— incorporation of 1,2-^{14}C-dimethylaminoethanol into phosphatidyl choline, 67
—— incorporation of ^{14}C-L-methionine into phosphatidyl choline, 67
—— linoleic acid oxidation, 155
—— lipids, 401
—— metabolism of fatty acids, 615
—— microsomes, fatty acid desaturase, 621
—— mitochondria, acid: CoA ligase, 459
—— mitochondria, swelling, effect of diet deficient in essential fatty acids, 571
—— mitochondria, essential fatty acids, effect on swelling, 571
—— palmitic acid oxidation, 155
—— phosphatidyl cholines, 19
—— phosphatidyl choline, effect of sex, age, 102
—— phospholipid profile, 77
—— phospholipids, 401
—— phospholipid mobilization to plasma, 401
—— phospholipid synthesis, 401
—— triglyceride accumulation and effects of ethionine, 401
—— turnover of phospholipid molecular species, 304
Liver, tadpole, UDP-gal:galNAC-gal-glc-cer galactosyl transferase, 270
Liver enzymes, regulation by fatty acids and acetyl-CoA, 388
Liver metabolism, of fatty acids, 615
Liver microsome membrane, rat, chemical comp, 582
—— rat, protein amino-acid comp, 582
LK, low potassium. See sheep erythrocytes
Lobster, phospholipids from skeletal muscle, 599, 607
Low-density lipoproteins, analytical ultracentrifuge, computer anal, 337
—— degradation by peroxide, 1
—— human, lipid comp, 337
—— human, sex differences, 337
—— ultracentrifugal characterization, 337
Low potassium-high potassium, sheep erythrocytes, 350
Lumbricus terrestris. See earthworm
Lung, bovine, phospholipid comp, 243
—— carcinoma, human brain lipids comp, 428
—— dog, cholesterol conc, effect of catecholamines, 533
—— frog, phospholipid comp, 243
—— human, phospholipid comp, 243
—— mouse, phospholipid comp, 243
—— rat, phospholipid comp, 243
—— rat, cholesterol, 123
—— radioactivity from hydroxy tetracosanoic acid, 129
—— retinal reductase, 109
—— retinal oxidase, 109
—— rat, radioactivity from hydroxy tetracosanoic acid, 129
—— vertebrates, phospholipid comp, 243
Lysobisphosphatidic acid, 599, 607
—— in bovine brain endothelial cells and nuclei, 234
—— in human brain endothelial cells and nuclei, 234
—— lung, rat, mouse, frog, bovine, human, 243
—— myelin, human, bovine, frog brain and spinal cord, 239
Lysophosphatides, in *Lepisma saccharina* L., 299
Lysophosphatidyl choline, 599, 607
—— in bovine brain endothelial cells and nuclei, 234
—— human aorta, effect of age, 232
—— in human brain endothelial cells and nuclei, 234
—— in human erythrocytes, 544
—— lung, rat, mouse, frog, bovine, human, 243
—— in rat liver, effect of diet, 77
—— rat testes metabolism, 41
—— rat testis metabolism, trilinolein, 93
Lysophosphatidyl ethanolamine, 599, 607
—— lung, rat, mouse, frog, bovine, human, 243
—— myelin, human, bovine, frog brain and spinal cord, 239

M

Macaca mulatta. See monkey
^{14}C-Malonyl CoA, radioactivity incorporated into fatty acids, mammary glands, 575
Malvalic acid, inhibitor of fatty acid Δ9,10-desaturase, 265
—— prep from rat liver, 19
—— protein, rat liver, 102
—— rabbit fetus liver phosphatidyl choline, effect of sex, age, 102
—— rabbit liver phosphatidyl choline, effect of sex, age, 102
—— rat liver, fat infiltrated, 19
—— rat liver fatty acid desaturase, 621
Mammary gland, gerbil, fatty acid profile, 575
—— gerbil, fatty acid synthesis, 575
—— lactating gerbil, fatty acid profile, 575
—— lactating rat, fatty acid profile, 575
—— rat, fatty acid profile, 575
—— rat, fatty acid synthesis, 575
Manuscripts, guide to prep, 87
Margaric acid. See heptadecanoic acid
Marine flat fish oil, lipoxygenase oxidation, 441
Marine oils, hydrogenated (partial), as dietary fats, 501
—— lipoxygenase oxidation, 441
Marrow, cells, pig bone, isolation from blood, 556
Melting point. See specific compound
Membranes, lipid-lipid relationships, 251
—— lipid-protein relationships, 251
—— rat liver microsome, peroxidation, 582
—— rat liver microsome, protein-lipid complex, 582
Membrane transport, role of lipids, 331
Mercuric acetate, arachidonic acid adduct, 129
—— fatty acid adduct, 129
—— linoleic acid adduct, 129
—— linolenic acid adduct, 129
—— oleic acid adduct, 129
Metabolic control, at the enzyme level, 388
—— by fatty acids and acetyl-CoA, 388
Metabolism, cholesterol in rat, 147
—— lipids in rat testes, 41
—— rat liver, of fatty acids, 615
Metastable ion peaks, mass spectra of α,ω-diiodoalkanes, 225
Methanolysis, methyl galactoside anomers formed, 167
—— of sphingolipids, 550
—— stabilizing methyl galactosides, 167
^{14}C-L-Methionine, incorporation into phosphatidyl choline, 67
Methostenol, TLC, 190
Δ^7-Methostenol, bovine adipose tissue, dtmn, 369
—— bovine muscle, dtmn, 369
Δ^8-Methostenol, bovine adipose tissue, dtmn, 369
Δ^8-Methostenol, bovine muscle, dtmn, 369
1-Methoxy-1-tetradecene, mass spectra, 421
Methyl alk-1-enyl ethers, prep, 421
6aβ-Methyl-7β-(1(S)-acetylethyl)-2,3,4,6,6aβ,7,8,9,9aα,9bβ-decahydro-1H cyclopenta [f] quinoline-3-one, from cholic acid by microorganism, column chromatography, physical properties, 224
6aβ-Methyl-2,3,4,6,6aβ,7,8,9,9aα,9bβ-decahydro-1H-cyclopenta [f] quinoline-3,7-dione, from cholic acid by microorganism, 224
Methyl ester. See fatty acids, methyl ester
Methyl galactosides, anomers formed by methanolysis, 167
—— stabilizing after methanolysis, 167
1β-(1(R)-methyl-3-carbamoylpropyl)5-oxo-7aβ-Methyl-3aα-hexahydro Indan-4α-propionic acid, from cholic acid by microorganism, 224
2-Methyl ketones, anal, GLC, 83
Methylmalonic acid, from unsaturated fatty acids, rat, 478
8-Methyl octadecanoic acid, 83
15-Methyl octadecanoic acid, 83
0-Methyl-18:sphingosine, brain, human, 550
—— human brain, 550
—— methanolysis, GLC, 550
—— in multiple sclerosis, 550
Methyl vinyl ethers, mass spectra, 421
Mevalonic acid, incorporation into cholesterol *in vitro*, effect of β-benzal butyric acid, 190
Microorganisms, *Clostridium welchii,* phospholipase C (EC 3.1.4.3.), 466
—— *Cytophaga hutchinsonii,* culture medium, 15
—— *Cytophaga hutchinsonii,* fatty acid profile, 15
—— *Geotrichum candidum,* lipase, 444
—— *cis*-11-hexadecenoic acid, parasitic leptospire, 166
—— *Leptospira interogans* serotype *ballum* S 102, *cis*-11-hexadecenoic acid, 166
—— *Mycoplasma laidlawii,* lipid turnover, 331
—— myxobacteria, 15
—— *Pseudomonas* spp., (-)-D-10-hydroxy fatty acids synthesized by hydratase induced by *cis*-9-fatty acids, chain-shortening of keto acids, 356
—— *Streptomyces rubescens,* cholic acid metabolism, 224
—— *Streptomyces rubescens,* metabolism of cholic acid, 224
Microsome, fetus liver phosphatidyl choline, 102
—— guinea pig liver phosphatidyl choline, effect of sex, age, 102
—— hamster liver phosphatidyl choline, effect of sex, age, 102
—— mouse liver phosphatidyl choline, effect of sex, age, 102
—— phosphatidyl choline profile, liver, 102
—— prep from liver, 102

—— rat liver phosphatidyl choline, effect of sex, age, 102
—— rat liver, phospholipids, 19
—— rat liver, protein, 19
—— total phospholipid, rat liver, 102
Microsome-like particles, sow milk, triglyceride synthesis, 168
Microsome membrane, rat liver, chemical comp, 582
—— rat liver peroxidation, 582
—— rat liver, protein amino-acid anal, 582
Milk, baboon, comp of lipids, 152
—— bovine, triglyceride structure, 197
—— glyceride synthesis in freshly secreted milk, 168
Mink brain, gangliosides, 488
Mitochondria, bovine brain, lipids comp, 428
—— brain, electron micrographs, 428
—— brain gray matter, lipids comp, 428
—— brain white matter, lipids comp, 428
—— fetus liver phosphatidyl choline, 102
—— guinea pig liver phosphatidyl choline, effect of sex, age, 102
—— hamster liver phosphatidyl choline, effect of sex, age, 102
—— human brain, lipids comp, 428
—— mouse liver phosphatidyl choline, effect of sex, age, 102
—— phosphatidyl choline profile, liver, 102
—— phospholipid, rat liver, 102
—— prep from liver, 102
—— prep from rat liver, 19
—— protein, rat liver, 102
—— rabbit fetus liver phosphatidyl choline, effect of sex, age, 102
—— rabbit liver phosphatidyl choline, effect of sex, age, 102
—— rat liver, acid: CoA ligase, 459
—— rat liver, essential fatty acids, effect on swelling, 571
—— rat liver, fat infiltrated, 19
—— rat liver phosphatidyl choline, effect of sex, age, 102
—— rat liver, phospholipids, 19
—— rat liver, prep, swelling conditions, 571
—— rat liver, protein, 19
—— rat liver, swelling, effect of diet deficient in essential fatty acids, 571
—— rat muscle, fatty acid oxidation, 478
Molecular ions, mass spectra of α,ω-diiodoalkanes, 225
Molecular species, of phospholipids, turnover in rat liver, 304
Monkey blood, galactosyl ceramide-^{3}H content, 496
Monkey (Macaca mulatta), cerebroside-^{3}H distribution and excretion, 496
Monocoriolin, oilseeds, 99
Monodimorphecolin, oilseeds, 99
Monogalactosyl diglyceride, in fatty acid metabolism, 311
—— fatty acid positional isomers, 311
—— metabolism in *Chlorella vulgaris*, 311
—— species, prep by TLC (silver nitrate), 311
—— species, structure dtmn, 311
Monoglycerides, in *Lepisma saccharina* L., 299
—— seeds, Douglas fir radioactivity, 522
Monolayers, phospholipid-cholesterol interactions, 251
—— phospholipids, 251
Monopalmitin, TLC solvent system, 129
Monosialo-. See mono-neuraminyl
Monovernolins, *Erlangea tomentosa* seed oil, 473
—— oilseeds, 99
—— rat tissues, 142
Mouse, free and bound aldehyde content of tissues, 278
—— phospholipids from kidney, liver, spleen, heart muscle, skeletal muscle, 599, 607
Mouse heart, free and bound aldehydes, 278
Mouse kidney, free and bound aldehydes, 278
Mouse liver, free and bound aldehydes, 278
—— phosphatidyl choline, effect of sex, age, 102
Mouse lung, phospholipid comp, 243
Mouse muscle, skeletal, free and bound aldehydes, 278
Mouse preputial gland, lipid comp, 435
Multiple myeloma, human serum, 60
Multiple sclerosis, human brain lipids comp, 428
—— sphingolipids, 550
—— sphingosine base unknown, 550
—— sphingosine content, chain-length distribution, 550
Multiple sclerosis plaque, sphingolipid comp, 550
Mugil cephalus, mullet fish, 303
Mullet. See fish, *Mugil cephalus*
Muscle, bovine, steroids in, 369
—— rat, cholesterol, 123
—— rat gluteus minimus, cholesterol, 123
—— rat heart, mitochondria, fatty acid oxidation, 478
—— rat rectus femoris, cholesterol, 123
—— rat skeletal, mitochondria, fatty acid oxidation, 478
—— skeletal, dog, cholesterol conc, effect of catecholamines, 533
—— skeletal, mouse, free and bound aldehydes, 278
Myocardial infarct, human brain lipids comp, 428
Mycoplasma, lipid turnover, 331
Myelin, bovine, isolation, phospholipid comp, 239
—— frog, isolation, phospholipid comp, 239
—— heavy, isolation, electron microscopy, 239
—— human, isolation and phospholipid comp, 239
—— human, white matter, sphingolipids, 550
—— light, isolation, electron microscopy, 239
—— sphingosine content, chain-length distribution, 550
Myocardium, dog, carbon number distribution, 288
—— dog, triglyceride profile, 288
Myoclonia congenita. See congenital tremor
Myristate-1-^{14}C elongation and desaturation, soybean cotyledon, 539
Myristic acid, Δ9,10-desaturation by hen liver, inhibition by cyclopropenes, 265
—— glucokinase (EC 2.7.1.2.), inhibition by, 388
—— hexokinase (EC 2.7.1.1.), inhibition by, 388
—— pyruvate kinase (EC 2.7.1.40.), inhibition by, 388
Myristic acid (14:0), eicosanol (20:0 alc) ester, synthesis, melting point, 28
—— *cis*-9-hexadecenol (16:1ω7) ester, synthesis, melting point, 28
—— myristyl (14:0 alc), ester, synthesis, melting point, 28
—— *cis*-9-octadecenol (18:1ω9) ester, synthesis, melting point, 28
—— palmityl (16:0 alc) ester, synthesis, melting point, 28
—— stearyl (18:0 alc) ester, synthesis, melting point, 28
Myristoleic acid, substrate for specific hydratase, 356
Myristyl alcohol. See tetradecanol (14:0 alc)

N

Naja naja venom, phospholipase hydrolysis of egg yolk lipids, 321
Nerium indicum seed oil, fatty acid profile, 9-D-hydroxy-*cis*-12-octadecenoic acid, 450
Nerium oleander seed oil, tetra-acid glycerides, 9-D-hydroxy-*cis*-12-octadecenoic acid, 450
Nerve cord, ventral, *Procambarus clarkii*, isolation, dtmn, 244
Neuraminic acid, brain gangliosides, (electric eel, cod, frog, alligator, chicken, mink, rat, rabbit, ox, pig, sheep, cat, dog), 488
di-Neuraminyl gangliosides, brain, (cat, dog, pig, sheep), 488
mono-Neuraminyl gangliosides, brain, (cat, dog, pig, sheep), 488
tri-Neuraminyl gangliosides, brain, (cat, dog, pig, sheep), 488
Neurological disease, human brain lipids comp, 428
—— involving lipids, classification, 176
Neutral lipid, earthworm, 363
Nitrile-containing lipids, GLC, CCD, 617
p-Nitrophenylhydrazone, acid conc on formation of, 278
NMR. See spectra, nuclear magnetic resonance
Nonadecanoic acid, Δ9,10-desaturation by hen liver, inhibition by cyclopropenes, 265
—— methyl ester GLC, 129
Nonadecatrienoic acid (19:3ω5), in rat diet, as essential fatty acids, 571
nor-. Indexed under chemical name, not under parent compound
—— See chemical name, *normal* will be indicated by *n*
Noradrenaline. See norepinephrine
Norepinephrine, effect on aorta cholesterol conc, in dogs, 533
—— effect on erythrocytes cholesterol conc, in dog, 533
—— effect on plasma cholesterol conc, in dog, 533
—— lipolysis stimulation, fat pads, rats, 413
—— See also catecholamines
Norlinolenic acid. See *cis, cis, cis*-8,11,14-heptadecatrienoic acid (17:3ω3), 9
Nuclei, bovine brain, isolation and phospholipid comp, 234
Nutritional status, human brain lipids comp, 428

O

9,12-Octadecadienal, mass spectra data, 421
9-hydroxy-trans-10, trans-12-Octadecadienin, oilseeds, 99
cis-5, cis-9-Octadecadienoic acid, *Teucrium depressum* seed oil, 462
cis, cis-Octadecadienoic acid, methyl ester, protect alkaline phosphatase against γ-radiation damage, 398
cis-trans-Octadecadienoic acid, methyl ester, protect alkaline phosphatase against γ-radiation damage, 398
trans, trans-Octadecadienoic acid, methyl ester, protect alkaline phosphatase against γ-radiation damage, 398
9,12-Octadecadienoic acid, methyl ester, as radiation protectors, 398
9-hydroxy-trans-10, trans-12, Octadecadienoic acid, methyl ester prep, 118
Octadecanal, mass spectra data, 421
2,2-d_2-Octadecanal, prep, 421

5,5-d_2-Octadecanal, prep, 421
cis-8-(2-n-octylcyclopropan-1-yl)Octadecanoic acid, from *Euphoria longana* seed oil, 317
—— methyl ester, physical properties, 317
Octadecanol (18:0 alc). See also stearyl alcohol
gem-dideutero Octadecanol, 421
vic-dideutero Octadecanol, 421
9,12-15-Octadecatrienal, mass spectra data, 421
Octadecatrienoic acid (18:3ω4), in rat diet, as essential fatty acids, 571
cis-5, cis-9, cis-12-Octadecatrienoic acid, *Teucrium depressum* seed oil, 462
cis-9, trans-11, cis-13-Octadecatrienoic acid (18:3ω5), configuration dtmn, 89
—— in oilseeds, 89
—— physical properties, MP, IF, UV, 89
cis-9, trans-11, trans-13-Octadecatrienoic acid (18:3ω5), configuration dtmn, 89
—— physical properties, MP, IF, UV, 89
—— in oilseeds, 89
9,11,13-Octadecatrienoic acid, (18:3ω5), methyl ester prep, boron trifluoride, 118
18-hydroxy-cis-9, trans-11, trans-13-Octadecatrienoic acid (18:3ω5H18), acetyl ester, adduct with maleic anhydride, 89
—— configuration dtmn, 89
—— in oilseeds, 89
—— 4-phenylphenacyl ester, 89
—— physical properties, MP, IF, UV, 89
trans-5, cis-9, cis-12-Octadecatrienoic acid, *Teucrium depressum* seed oil, 462
9-Octadecenal, mass spectra date, 421
cis-12, 13-epoxy-cis-9-Octadecenin, oilseeds, mono-, di- and tri-, 99
(R)-13-hydroxy-cis-9, trans-11-Octadecenin, oilseeds, 99
cis-5-Octadecenoic acid, from *Carlina* seed oils, 99
cis-6-Octadecenoic acid. See petroselenic acid
cis-9-Octadecenoic acid (18:1ω9), *cis*-9-hexadecenol (16:1ω7) ester, synthesis, melting point, 28
—— *cis*-9-Octadecenol (18:1ω9) ester, synthesis, melting point, 28
—— See oleic acid
cis-12, 13-epoxy-9-Octadecenoic acid (18:1ω9E12), glycerol ester, prep, 142
—— glycerol ester, TLC, GLC, 142
—— rat tissues, 142
—— See also vernolin
cis-12,13-epoxy-cis-9-Octadecenoic acid (18:1ω9E12), methyl ester prep, boron trifluoride, 118
trans-11-Octadecenoic acid. See vaccenic acid
cis-9-Octadecenol (18:1ω9). See also oleyl alcohol
Octanoic acid, glucokinase (EC 2.7.1.2.), inhibition by, 388
—— hexokinase (EC 2.7.1.1.), inhibition by, 388
—— pyruvate kinase (EC 2.7.1.40.), inhibition by, 388
—— rat liver metabolism, 615
8-(2-n-octylcyclopropen-1-yl) Octanoic acid, (18:1ω9CP9) methyl ester prep, boron trifluoride, 118
Oil Red O, stain, lipoproteins, 186
—— paper electrophoresis, 186
Oils, for density gradients separation of erythrocytes, 544
—— for density gradients. See phthalic acid esters
Oils, arachis, hydrogenated (partial), as dietary fats, 501
—— partially hydrogenated, comp, GLC, fatty acid profile, 507
Oils, corn, diet, rat, effect on fatty acid oxidation, 478
Oils, fish, *Aplodinotus grunniens*, lipoxygenase oxidation, 441
—— *Clupea harengus*, lipoxygenase oxidation, 441
—— *Coregonus artedii*, lipoxygenase oxidation, 441
—— *Gadus morrhua*, lipoxygenase oxidation, 441
—— hydrogenated (partial), as dietary fats, 501
—— *Pseudopleuronectes americanus*, lipoxygenase oxidation, 441
Oils, herring, hydrogenated (partial), as dietary fats, 501
—— partially hydrogenated, comp, GLC, fatty acid profile, 507
Oils, hydrogenated (partial), fatty acid profile, 501
—— GLC, TLC, spectra IR, UV, 507
—— in rat diet, 515
Oils, marine, hydrogenated (partial), as dietary fats, 501
Oils, marine flat fish, lipoxygenase oxidation, 441
Oils, seal, *Halichoerus grypus*, lipoxygenase oxidation, 441
Oils, soybean, partially hydrogenated, comp, GLC, fatty acid profile, 507
Oils, Sterculia, sterculic acid, methyl ester prep, 118
Oils, vegetable, hydrogenated (partial), as dietary fats, 501
Oils, whale, *Balaenoptera physalus*, lipoxygenase oxidation, 441
Oilseeds, *Aleurites remyi*, absence of conjugated triene fatty acids, 89
—— *Aleurites trisperma*, conjugated triene fatty acids, 89
—— *Cardiospermum halicacabum*, cyanogenetic lipid, 617
—— *Carlina acaulis* L., *cis*-5-monoenoic acids, 99
—— *Carlina corymbosa* L., *cis*-5-monoenoic acids, 99
—— castor, methyl esters prep, 118
—— *Cayaponia grandifolia*, conjugated triene fatty acids, 89
—— *Cordia verbenacea D.C.*, 617
—— *Cordia verbenacea D.C.*, cyanohydrin esters in seed oil, 617
—— *Cordia verbenacea D.C.*, nitrile-containing lipids in seed oil, 617
—— *Coriaria myrtifolia*, 99
—— *Cyclandrophora laurina*, conjugated triene fatty acids, 89
—— *Dimorphotheca sinuata*, 99
—— *Dimorphotheca sinuata D.C.*, methyl esters prep, 118
—— *Erlangea tomentosa*, glyceride profile, 473
—— *Erlangea tomentosa*, *cis*-12,13-epoxy-9-octadecenoic, acid (vernolic acid) glycerol esters, 473
—— *Euphorbia lagascae*, 99
—— *Euphorbia lagascae Spreng.*, methyl esters prep, 118
—— *Euphoria longana*, fatty acid profile, 317
—— *Garcia nutans*, conjugated triene fatty acids, 89
—— *Helianthus annuus* (sunflower) oil in rat diet, 571
—— *Holarrhena antidysenterica*, fatty acid profile, 450
—— *Hydnocarpus*, cyclic fatty acids, 229
—— *Lesquerella lescurii* (Gray) S. Wats., methyl esters prep, 118
—— *Licania platypus*, absence of conjugated triene fatty acids, 89
—— *Maytenus illicifolia*, methyl esters prep, 118
—— *Mormordica cochinchinensis*, conjugated triene fatty acids, 89
—— *Momordica cymbalaria*, conjugated triene fatty acids, 89
—— *Nerium indicum*, fatty acid profile, 450
—— *Nerium indicum*, tetra-acid glycerides, 450
—— *Nerium oleander*, fatty acid profile, 450
—— *Parinari laurina*, conjugated triene fatty acids, 89
—— *Ricinus communis*, lipase, acid, castor bean, 177
—— soybean, hydrogenated (partial), as dietary fats, 501
—— soybean, methyl esters prep, 118
—— *Sterculia foetida*, sterculic acid, methyl ester prep, 118
—— *Strophanthus hispidus*, fatty acid profile, 450
—— sunflower seed oil, in rat diet, 571
—— *Thymus vulgaris* L., fatty acids, 9
—— *Trichosanthes cordata*, conjugated triene fatty acids, 89
—— *Trichosanthes cucumerina*, conjugated triene fatty acids, 89
—— tung, methyl esters prep, 118
—— *Vernonia anthelmintica*, trivernolin prep, 142
—— *Vernonia anthelmintica (L.) Willd.*, methyl esters prep, 118
Oleate-1-^{14}C desaturation, soybean cotyledon, 539
Oleic acid, cholesterol ester, TLC solvent system, 129
—— D-(+)-*cis*-12,13-epoxy, chemical cleavage of, stereochemistry and mechanism of, 50
—— D-(+)-*cis*-12, 13-epoxy, enzymic hydration of stereochemistry and mechanism of, 50
—— n-hexyl ester, hydrolysis, castor bean acid lipase, 261
—— 2-hexyl ester, hydrolysis, castor bean acid lipase, 261
—— mercuric acetate adduct, 129
—— methyl ester, *cis-trans* equilibrium, 283
—— methyl ester, solvent for cholesterol, 526
—— substrate for stereospecific hydratase, 356
—— *threo*-12(13), 13(12)-chlorohydroxy, optical configurations of, 50
—— *threo*-12,13-dihydroxy, optical configurations of, 50
—— *threo*-12(13), 13(12)-hydroxy, tosyloxy, hydrogenolysis of, 50
—— *threo*-12(13), 13(12)-hydroxy, tosyloxy, optical configurations of, 50
—— *threo*-12(13), 13(12)-hydroxy, tosyloxy, separations of, 50
—— *threo*-12(13), 13(12)-hydroxy, tosyloxy, synthesis, 50
—— in vitro oxidation in rat, 478
Oleic acid (18:1ω8), in phosphatidyl cholines, rat, 19
Oleic acid (18:1ω9), eicosanol (20:0 alc) ester, synthesis, melting point, 28
—— in human erythrocytes, 544
—— methyl ester, free fatty acid profiles, rat liver, 77
—— myristyl (14:0 alc) ester, synthesis, melting point, 28
—— palmityl (16:0 alc) ester, synthesis, melting point, 28
—— stearyl (18:0 alc) ester, synthesis, melting point, 28
Olein-1,3-dipalmitin, hydrolysis, castor bean acid lipase, 261
Oleyl alcohol. See *cis*-9-octadecenol (18:1ω9)
Olive oil, solvent for cholesterol, 526
ORD. See spectra, optical rotatory dispersion
Ovary, bovine, *in vitro* β-carotene biosynthesis, 227
Ox brain, gangliosides, 488
Oxidation, chromium trioxide, 9
—— permanganate, of branched fatty acid, 83
—— permanganate-periodate, 9
—— sodium borohydride, 9
α-Oxidation, of fatty acids, 9
—— rat fatty acids, 129
β-Oxidation, chain-shortening of keto-fatty acids by *Pseudomonas* spp, 356
—— fatty acids in rat, 155

γ-Oxidation, of unsaturated fatty acids, 478
Oxygen, consumption, in heme, fatty acid model systems, 454
Ozonolysis, of *cis*-5-hexadecenoic acid, methyl ester, 99
—— of *cis*-5-octadecenoic acid, methyl ester, 99
—— interrupted, structure dtmn, 135
—— micro, of fatty esters, 462
—— partial, formation of unsaturated aldehydes, aldehyde esters and dialdehydes, 135
—— partial, to identify polyunsaturated methyl esters, 135
—— polyunsaturated methyl esters, 135
—— unsaturated fragments, from polyunsaturated compounds, 135

P

Palmitate-1-^{14}C elongation and desaturation, soybean cotyledon, 539
Palmitic acid, Δ9,10-desaturation by hen liver, inhibition by cyclopropenes, 265
—— glucokinase (EC 2.7.1.2.), inhibition by, 388
—— in human erythrocytes, 544
—— incorporation into glycerides in sow milk, 168
—— lactic acid production in liver, inhibited by, 388
—— methyl ester GLC, 129
—— methyl ester, solvent for cholestol, 526
—— of phospholipids, egg yolk, association with unsaturated fatty acids, 466
—— rat liver metabolism, 615
—— *in vivo* and *in vitro* oxidation in rat, 478
Palmitic acid (16:0), cholesterol epoxide ester, TLC, 142
—— cholesterol ester, TLC, 142
—— cholesterol synthesis, 155
—— eicosanol (20:0 alc) ester, synthesis, melting point, 28
—— *cis*-9-hexadecenol (16:1ω7) ester, synthesis, melting point, 28
—— myristyl (14:0 alc) ester, synthesis, melting point, 28
—— metabolism compared to linoleic acid, 155
—— metabolism *in vivo*, rat, 155
—— *cis*-9-octadecenol (18:1ω9) ester, synthesis, melting point, 28
—— oxidation to carbon dioxide, 155
—— palmityl (16:0 alc) ester, synthesis, melting point, 28
—— stearyl (18:0 alc) ester, synthesis, melting point, 28
Palmitin, TLC solvent system, 129
Palmitin-1,3-diolein, hydrolysis, castor bean acid lipase, 261
Palmitoleic acid, substrate for stereospecific hydratase, 356
—— See *cis*-9-hexadecenoic acid (16:1ω7)
Palmitoleyl alcohol. See *cis*-9-hexadecenol (16:1ω7)
Palmityl alcohol, fish roe, 303
—— See hexadecanol (16:0 alc)
Pancreas, dog, cholesterol conc, effect of catecholamines, 533
Pancreatic lipase, (EC 3.1.1.3), on diglyceride acetates, 466
—— EC 3.1.1.3., vernolins hydrolysis, 473
—— triglyceride anal, cocoa butter, 444
Panulinus interruptus. See lobster
Papio anubis, fatty acid profile, baboon milk, 152
Papio cynocephalus, fatty acid profile, baboon milk, 152
Papio papio, fatty acid profile, baboon milk, 152
Parotid fluid, human, cholesterol, 380
Peas. See also seeds
Peas lipids, TLC, 209
Pentadecanoic acid, Δ9,10-desaturation by hen liver, inhibition by cyclopropenes, 265
—— methyl ester GLC, 129
Permanganate, oxidation of branched fatty acids, 83
Permanganate-periodate oxidations, 9
Permanganate-periodate oxidation products, double bond location dtmn, 539
Permutit, cholesterol adsorption, 526
Peroxidation, of lipid micelles, effect of deoxycholic acid, 582
—— of lipid micelles, kinetics, 582
—— of lipid micelles structural protein, kinetics, 582
—— of microsomal membrane, rat liver, 582
Peroxide, hydrogen. See hydrogen peroxide
Petroselenic acid, methyl ester, *cis-trans equilibrium*, 283
—— See also *cis*-6-octadecenoic acid
Phenyldichlorophosphate derivatives, prepared from triglycerides, cocoa butter, 444
Phosphatase, alkaline, γ-radiation inactivation, 398
—— alkaline, radiation inactivation, protected by octadecadienoic acid methyl esters, 398
Phosphate (^{32}P-ortho-), incorporation into individual molecular species of phospholipids, 304
Phosphatide acyl-hydrolase EC 3.1.1.4. See also phospholipase A
Phosphatidic acid, 599, 607
—— in bovine brain endothelial cells and nuclei, 234
—— human aorta, effect of age, 232
—— in human brain endothelial cells and nuclei, 234
—— lung, rat, mouse, frog, bovine, human, 243
—— myelin, human, bovine, frog brain and spinal cord, 239
Phosphatidyl choline, 599, 607
—— in human brain endothelial cells and nuclei, 234
—— brain mitochondria, human, 428
—— in developing pig spinal cord, congenital tremor, 623
—— diether phosphonate analog, synthesis, 37
—— dipalmitoyl phosphonate analog, synthesis, 37
—— human aorta, effect of age, 232
—— in human brain endothelial cells and nuclei, 234
—— in human erythrocytes, 544
—— induced hypercholesterolemia in rats, 123
—— infusion, rat, 123
—— in *Lepisma saccharina* L., 299
—— liver, guinea pig, effect of sex, age, 102
—— liver, hamster, effect of sex, age, 102
—— liver, mouse, effect of sex, age, 102
—— liver, rabbit, effect of sex, age, 102
—— liver, rabbit fetus, effect of sex, age, 102
—— liver, rat, effect of sex, age, 102
—— lung, rat, mouse, frog, bovine, human, 234
—— myelin, human, bovine, frog brain, 239
—— myelin, human, bovine, frog spinal cord, 239
—— preparative TLC, 19
—— quantitative recovery from silica gel, 102
—— in rat liver, effect of diet, 77
—— rat testes metabolism, 41
—— rat testis metabolism, trilinolein, 93
—— relative turnover of individual molecular species in rat liver, 304
—— TLC solvent system, 129
Phosphatidyl choline-binding, with acyl CoA synthetase, 459
Phosphatidyl choline-enzyme, acyl CoA synthetase, 459
Phosphatidyl cholinephosphohydrolase EC 3.1.4.3. See also phospholipase C
Phosphatidyl choline-protein interaction, 459
Phosphatidyl ethanolamine, 599, 607
—— in bovine brain endothelial cells and nuclei, 234
—— brain mitochondria, human, 428
—— in choline deficiency, rat, 67
—— *Cytophaga hutchinsonii*, fatty acid profile, 15
—— in developing pig spinal cord, 623
—— fatty acid profile, 466
—— fatty acid profile, sheep erythrocytes, HK and LK cells, 350
—— human aorta, effect of age, 232
—— in human brain endothelial cells and nuclei, 234
—— in human erythrocytes, 544
—— in *Lepisma saccharina* L, 299
—— lung, rat, mouse, frog, bovine, human, 243
—— myelin, human, bovine, frog brain, 239
—— myelin, human, bovine, frog spinal cord, 239
—— molecular species, fatty acid profiles, 466
—— in pig spinal cord, congenital tremor, 623
—— in rat liver, effect of diet, 77
—— rat testes metabolism, 41
—— rat testis metabolism, trilinolein, 93
—— relative turnover of individual molecular species in rat liver, 304
—— TLC solvent system, 129
Phosphatidyl glucose, pulse labeling with ^{14}C glucose, 331
—— turnover of ^{32}P, 331
Phosphatidyl glycerol, 599, 607
—— in bovine brain endothelial cells and nuclei, 234
—— in human brain endothelial cells and nuclei, 234
—— lung, rat, mouse, frog, bovine, human, 243
Phosphatidyl glycerol phosphatide, rat testis metabolism, trilinolein, 93
Phosphatidyl inositol, 599, 607
—— in bovine brain endothelial cells and nuclei, 234
—— in developing pig spinal cord, congenital tremor, 623
—— fatty acid profile, sheep erythrocytes, 350
—— human aorta, effect of age, 232
—— in human brain endothelial cells and nuclei, 234
—— in human erythrocytes, 544
—— in *Lepisma saccharina* L., 299
—— lung, rat, mouse, frog, bovine, human, 243
—— myelin, human, bovine, frog brain, 239
—— myelin, human, bovine, frog spinal cord, 239
—— in rat liver, effect of diet, 77
—— rat testes metabolism, 41
—— rat testis metabolism, trilinolein, 93
Phosphatidyl-β-methylcholine, in *Tenebrio molitor* L., 293
Phosphatidyl serine, 599, 607
—— in bovine brain endothelial cells and nuclei, 234
—— brain mitochondria, human, 428
—— in developing pig spinal cord, congenital tremor, 623
—— fatty acid profile, sheep erythrocytes, 350
—— human aorta, effect of age, 232
—— in human brain endothelial cells and nuclei, 234
—— in human erythrocytes, 544
—— in *Lepisma saccharina* L., 299
—— lung, rat, mouse, frog, bovine, human, 243
—— myelin, human, bovine, frog brain, 239
—— myelin, human, bovine, frog spinal cord, 239
—— in rat liver, effect of diet, 77
—— rat testes metabolism, 41

—— rat testis metabolism, trilinolein, 93
Phosphoenolpyruvate, inhibitor of glucokinase (EC 2.7.1.2.), 388
Phosphoenolpyruvic acid, glucokinase (EC 2.7.1.2.), inhibited by, 388
Phosphofructokinase EC 2.7.1.11., inhibition by fatty acids, 388
Phosphoglycerides, pyrolysis to form diglycerides, 301
Phospholipase A- EC 3.1.1.4., *(Crotalus adamanteus),* on phosphatidyl ethanolamine, 15
—— *(Naja naja),* on phosphatidyl ethanolamine, 15
—— on phosphatidyl ethanolamine, 466
Phospholipase C, (EC 3.1.4.3.), activation by sphingomyelin, 466
—— on phosphatidyl ethanolamine, 466
Phospholipid-cholesterol, interactions, biological aspects, 251
—— interactions, monolayer studies, 251
Phospholipid profile, liver, in choline deficient rats, 77
—— liver, unsaturated fatty acids fed rats, 77
Phospholipids, abalone, skeletal muscle, 599, 607
—— bovine brain nuclei and endothelial cells, 234
—— bovine, kidney, liver, spleen, heart muscle, skeletal muscle, 599, 607
—— bovine myelin, 239
—— change with age and sex in a hypertriglyceridemic rat, 384
—— comp of human aorta, 232
—— comp human low-density lipoprotein, 337
—— in dog plasma, ^{32}P-labeled, 408
—— dog plasma turnover rate, ethionine, 408
—— earthworms, 363
—— effect on protoheme ferrolyase, 321
—— effects of water, 251
—— effects of water, bilayers, 251
—— effects of water, bound water, 251
—— effects of water, monolayers, 251
—— effects of water, phase polymorphism, 251
—— effects of water, transition temps, 251
—— ethionine effects on liver, rat, 401
—— ethionine effects on plasma, rat, 401
—— fatty acid profile, *Schistosoma mansoni,* 31
—— frog, kidney, liver, heart muscle, skeletal muscle, 599, 607
—— frog myelin, 239
—— heart muscle, human, bovine, rat, mouse, 599, 607
—— heptadecanoic acid incorporation, 615
—— human aorta, regional variations and change with age, 232
—— human and bovine aorta, effect of standing postmortem, 232
—— human brain nuclei and endothelial cells, 234
—— human erythrocytes, comp, 544
—— human, kidney, liver, spleen, heart muscle, skeletal muscle, 599, 607
—— human myelin, 239
—— kidney, human, bovine, rat, mouse, 599, 607
—— in *Lepisma saccharina* L., 299
—— liver, human, bovine, rat, mouse, 599, 607
—— liver and plasma synthesis, rat, 401
—— lobster, skeletal muscle, 599, 607
—— molecular species turnover in rat liver, 304
—— mouse, kidney, liver, spleen, heart muscle, skeletal muscle, 599, 607
—— ^{32}P-orthophosphate uptake, liver, rat, 401
—— ^{32}P-orthophosphate uptake, plasma, rat, 401
—— in peroxidized serum lipoproteins, 1
—— plasma, rat, turnover measured by relative specific activity, 401
—— plasma, turnover, effects of ethionine, dogs, 408
—— plasma turnover in relation to triglyceride cycle, dog, 408
—— pyrolysis to form diglycerides, 301
—— radioactive, in dog plasma, prep, 408
—— rat, kidney, liver, spleen, heart muscle, skeletal muscle, 599, 607
—— of rat liver microsome membrane, 582
—— rat, liver, microsome, 102
—— rat liver mitochondria, 102
—— rat serum, effect of adrenalectomy, 115
—— rat serum, effect of triglyceride ingestion, 115
—— scallop, skeletal muscle, 599, 607
—— sea urchin, skeletal muscle, 599, 607
—— separation from neutral lipids, 308
—— sheep erythrocytes, 350
—— sheep erythrocytes, fatty acid profile, 350
—— skeletal muscle, human, bovine, rat, mouse, 599, 607
—— specific radioactivity of phosphorus, liver to plasma ratios, rat, 401
—— spleen, human, bovine, rat, mouse, 599, 607
—— *Tenebrio molitor* L. fatty acid profile, 293
—— thermotropic mesomorphism, 251
—— in triglyceride cycle, rat, 401
—— unidentified, sheep erythrocytes, 350
Phosphorus, radioactive, incorporation into liver and plasma phospholipids, rat, 401
Photogrammetry, of cholesterol, 380
—— See chromatography, thin-layer, quantitative
Phthalic acid, esters for density gradient separations of cells, 544
Pigeon, serum lipoproteins, 60
Pig adipose tissue, inner and outer back fat, comp, effect of dietary copper, 345
—— triglyceride comp, effect of dietary copper, 345
Pig blood leucocytes, oligoglycosyl sphingolipids, 556
Pig bone marrow cells, isolation from blood, 556
Pig brain, gangliosides, 488
Pig diet, effect of copper on triglyceride comp, 345
Pig leucocytes, isolation from blood, 556
—— sphingolipids containing hexoses, 556
Pigments, earthworms, 363
Pig spinal cord, developing, congenital tremor, fatty acid profile, 623
—— developing, congenital tremor, phospholipid comp, 623
—— developing, fatty acid profile, 623
—— developing, phospholipid comp, 623
—— fatty acid profile, 623
—— phospholipid comp, 623
Plant lipids, radioactive prep, 484
Plaque, multiple sclerosis, sphingolipid comp, 550
Plasma cholesterol concentration, in dogs, effect of catecholamines, 533
Plasma, dog, phospholipids, ethionine effects, 408
—— phospholipids in triglyceride cycle, 408
—— phospholipid turnover after ethionine, 408
—— radioactive phospholipids in plasma, prep, 408
Plasma lipids, in rat hypertriglyceridemia, 384
Plasma lipoprotein, human, cellulose acetate electrophoresis, 397
Plasmalogens, biosynthesis of ^{14}C labeled bound aldehydes, 278
—— brain mitochondria, 428
—— fatty acid profile, mouse preputial gland, 435
—— fatty aldehyde liberation, 327
Plasma, rat, cholesterol conc, 147
—— cholesterol, effect of adrenalectomy, 115
—— cholesterol, effect of triglyceride ingestion, 115
—— cholesterol from tissues, 123
—— incorporation of ^{14}C-L-methionine into phosphatidyl choline, 67
—— incorporation of 1,2-^{14}C-dimethylaminoethanol into phosphatidyl choline, 67
—— lipids, 401
—— phospholipids, 401
—— phospholipids after ethionine, 401
—— phospholipids, effect of adrenalectomy, 115
—— phospholipids, effect of triglyceride ingestion, 115
—— phospholipids in triglyceride cycle, 401
—— phospholipid turnover, 401
—— triglycerides, effect of adrenalectomy, 115
Platyhelminthes, trematoda, *Schistosoma mansoni,* fatty acid profile, 31
Polycythemia, fatty acid profile of erythrocytes, 544
—— human, erythrocyte fatty acid profile, 544
Polyenoic acids, in marine oils, 441
Polymorphism, water phase aspects, phospholipids, 251
Polystyrene gel chromatography. See chromatography, column and exclusion, polystyrene gel
Polyunsaturated alcohols, fish roe, 303
Positional distribution, of fatty acids in goat milk triglycerides, 562
—— of fatty acids in sheep milk triglycerides, 562
Postmortem, changes in human aorta, 232
Preputial gland, mouse, lipid comp, 435
Procambarus clarkii, 14 : and 16 : sphingosine, 244
Prooxidant, ratios of unsaturated fatty acids to heme, 454
Propionic acid, from unsaturated fatty acids, rat, 478
Protein, liver microsome and mitochondria, 102
—— rat, fatty livers, 19
—— structural, anal and estimate of hydrophobic nature, 582
—— structural, rat liver microsome membrane, amino-acid comp, 582
—— seeds, Douglas fir radioactivity, 522
Protein-lipid complex, rat liver microsome membrane, 582
Protoheme ferrolyase EC 4.99.1.1., chicken erythrocyte stroma, effect of lipids, 321
Pseudomonas spp., hydration of *cis*-9 fatty acids by resting cells, 356
Pseudopleuronectes americanus. See oil, fish
Pseudotsuga menziensii F. See tree, seeds, Douglas fir
Psychosine, rat brain particles biosynthesis, 163
Punicic acid. See *cis, trans, cis,* 9,11,13-octadecatrienoic acid (18 :3ω5)
Pyrolysis, phosphoglycerides to from diglycerides, 301
Pyrolysis-gas-liquid chromatography, of phosphoglycerides, 301
Pyruvate kinase EC 2.7.1.40., inhibition by fatty acids and acetyl-CoA, 388

R

Rabbit brain, gangliosides, 488
Rabbit fetus liver, phosphatidyl choline, effect of sex, age, 102
Rabbit liver, phosphatidyl choline, effect of sex, age, 102
Radiation damage, protection of alkaline phosphatase by methyl octadecadienoates, 398
Radioactive phospolipids, in dog plasma, prep, 408
Rana pipiens. See frog
Rat, cholesterol synthesis *in vivo*, 155
—— cholesterol, from tissues to plasma, 123
—— cold-exposed, fat cells, 413
—— essential fatty acid deficiency, 501
—— essential fatty acids deficiency, testes lipids, 515
—— essential fatty acids deficiency, testes neutral lipids, 515
—— essential fatty acids deficiency, testes phospholipids, 515
—— fasting, triglyceride cycle, 401
—— fat mobilization, endocrine control, 413
—— fat pad mass, epididylmal, function of rat body weight, 413
—— fatty acid oxidation, vitamin B_{12} and biotin deficiencies, 478
—— hypercholesterolemia, experimental, 147
—— linoleic acid metabolism, 155
—— metabolism of cholesterol *in vivo*, 155
—— metabolism of fatty acids *in vivo*, 155
—— palmitic acid metabolism, 155
—— phospholipids from kidney, liver, spleen, heart muscle, skeletal muscle, 599, 607
—— plasma cholesterol, effect of adrenalectomy, 115
—— plasma cholesterol, effect of triglyceride ingestion, 115
—— plasma phospholipid, effect of triglyceride ingestion, 115
—— plasma phospholipids, effect of adrenalectomy, 115
—— plasma triglycerides, effect of adrenalectomy, 115
—— plasma triglyceride, effect of triglyceride ingestion, 115
Rat adipose tissue, comp, effect of temp, 413
—— effect of cold exposure, 413
Rat age, effect on serum lipids, 384
Rat aorta, cholesterol conc, 147
Rat bile, bile acids, 147
—— chenodeoxycholic acid, 147
—— cholic acid, 147
Rat body weight, 19
—— as bioassay for essential fatty acids, 571
—— dietary fat and vitamin B_{12}, 478
—— effect of diet, essential fatty acid deficiency, 571
Rat brain, adult and baby, UDP-gal:galNAC-gal-glc-cer galactosyl transferase, 270
—— gangliosides, 488
—— glycolipid biosynthesis, 589
—— particles, glycolipid synthesis, 163
—— particles, sphingolipid synthesis, 163
—— sphingolipid biosynthesis, 163
—— UDP-(N-acetyl)galactosamine=gal-glc-cer N-acetyl galactosamine transferase, 589
—— UDP-(N-acetyl) glucosamine-4′-epimerase, 589
Rat diet, choline deficient, 77
—— deficient in essential fatty acids, mitochondria swelling, 571
—— epoxy-fatty acid esters supplement, 142
—— essential fatty acid deficiency, 501
—— fatty acid content, 155
—— oil, hydrogenated (partial), 515
Rat epididymal fat pad, epoxy-fatty acid content, 142
Rat feces, epoxy-fatty acid content, 142
Rat growth, as bioassay for essential fatty acids, 571
—— effect of diet, essential fatty acid deficiency, 571
—— effect of temp, 413
Rat histology, essential fatty acid deficiency, 501
Rat hypertriglyceridemia, changes with age and sex, 384
—— cholesterol levels in plasma, 384
—— glucose tolerance, 384
—— hemoglobin, hematocrit, 384
—— lipoprotein levels in plasma, 384
—— phospholipid levels in plasma, 384
—— triglyceride levels in plasma, 384
Rat intestine, baby, UDP-gal:galNAC-gal-glc-cer galactosyl transferase, 270
Rat kidney, adult and baby, UDP-gal:galNAC-gal-glc-cer galactosyl transferase, 270
—— cholesterol conc, 147
Rat lactating mammary gland, fatty acid synthesis, 575
Rat liver, adult and baby, UDP-gal:galNAC-gal-glc-cer galactosyl transferase, 270
—— cholesterol conc, 147
—— cholesterol synthesis, 155
—— in choline deficiency, 19
—— effect of β-benzal butyric acid on sterol synthesis *in vitro*, 190
—— epoxy-fatty acid content, 142
—— in ethionine toxicity, 19
—— free fatty acids, polyunsaturated fatty acids on, 77
—— incorporation of ^{14}C-L-methionine into phosphatidyl choline, 67
—— incorporation of 1,2-^{14}C-dimethylaminoethanol into phosphatidyl choline, 67
—— phosphatidyl choline, effect of sex, age, 102
—— phosphatidyl cholines from fatty livers, 19
—— phospholipid mobilization to plasma, 401
—— phospholipid profile, 77
—— phospholipid synthesis, 401
—— phospholipids in fatty livers, 19
—— protein in fatty livers, 19
—— retinal oxidase, 109
—— retinal reductase, 109
—— sterol synthesis *in vitro*, effect of inhibitors, 190
—— triglyceride accumulation and effects of ethionine, 401
—— turnover of phospholipid molecular species, 304
—— weight, 19
Rat liver metabolism, fatty acids, 615
—— heptadecanoic acid, 615
Rat liver microsome membrane, peroxidation, 582
—— protein-lipid complex, 582
Rat liver microsomes, fatty acid desaturase, 621
Rat liver mitochondria, acid CoA ligase, 459
—— essential fatty acids, effect on swelling, 571
—— prep, swelling conditions, 571
—— swelling, effect of diet deficient in essential fatty acids, 571
Rat lung, phospholipid comp, 243
Rat mitochondria, muscle, fatty acid oxidation, 478
Rat muscle, cholesterol synthesis, 155
—— mitochondria, fatty acid oxidation, 478
Rat plasma, cholesterol conc, 147
—— cholesterol from tissues, 123
—— incorporation of ^{14}C-L-methionine into phosphatidyl choline, 67
—— incorporation of 1,2-^{14}C-dimethylaminoethanol into phosphatidyl choline, 67
—— phospholipids after ethionine, 401
—— phospholipids in triglyceride cycle, 401
—— phospholipid turnover, 401
Rat serum, epoxy-fatty acid content, 142
Rat sex, effect on serum lipids, 384
—— ethionine, on liver lipids, phospholipids, 401
—— ethionine, on plasma lipids, phospholipids, 401
—— liver lipids, phospholipids, 401
—— plasma lipids, phospholipids, 401
Rat spermatogenic tissue, essential fatty acid deficiency, 501
Rat testes, cardiolipin, 515
—— cholesterol, essential fatty acid deficiency, 515
—— cholesterol esters, essential fatty acid deficiency, 515
—— fatty acids, essential fatty acid deficiency, 515
—— glycerol phosphatides, poly-, 515
—— lipid metabolism, 41
—— phosphatidic acid, 515
—— phosphatidyl choline, 515
—— phosphatidyl ethanolamine, 515
—— phosphatidyl inositol, 515
—— sphingomyelin, 515
—— triglycerides, essential fatty acid deficiency, 515
Rat testis, degeneration, essential fatty acid deficiency, 501
—— lipid metabolism in, 93
—— temporal lipid metabolism, 93
—— trilinolein metabolism, 93
Rat tissues, absence of cholesterol epoxide, 142
—— cholesterol conc, 147
—— epoxy-fatty acid content, 142
RBC. See erythrocytes
Rectus femoris, rat cholesterol, 123
Red blood cells. See erythrocytes
Reduction, lithium aluminum hydride, 9
Renal artery, dog, cholesterol conc, effect of catecholamines, 533
Respiratory carbon dioxide, from linoleic acid, rat, 155
Reticuloendothelial tissue, galactosyl ceramide-^{3}H uptake, 496
Retina, bovine, gangliosides by TLC, 205
Retinal metabolism, rat liver, cold stress, 109
Retinal oxidase, EC 1.2.1.3., rat liver, cold stress, 109
Retinal reductase, EC 1.1.1.1., rat liver, cold stress, 109
Retinoic acid, from retinal, rat liver, 109
Retinol-free diet, rat liver, 109
Retinol metabolism, rat liver, cold stress, 109
Retinyl acetate diet, replenish, rat liver, 109
Ribonucleic acid (RNA), seeds, Douglas fir radioactivity, 522
Ricinoleic acid, cyclic tetramer, lipid cofactor for lipase, 177
—— hydration of *cis*-9 bond to dihydroxystearic acid, 356
—— See 12-hydroxy-*cis*-9-octadecenoic acid
RNA. See ribonucleic acid
Roe, fish, wax comp, 303

S

Safflower oil, solvent for cholesterol, 526
Saliva, human, cholesterol, 380
Saliva collection, method, 380
Scallop, phospholipids from skeletal muscle, 599, 607
Schistosoma mansoni, fatty acid profile, comparison with acanthocephalan and tapeworm, 31
—— triglyceride, phospholipid fatty acid profile, 31
Schmidt decarboxylation, 539
Seal (Halichoerus grypus), lipoxygenase oxidation, 441
Seal oil. See oil, seal
Sea urchin, phospholipids from skeletal muscle, 599, 607
Sebaleic acid, 79
Sedimentation coefficients, of lipid micelle-structural protein complex, measurement, 582
Seed biosynthesis, Douglas fir, *in vitro* incubation media, 522
Seed oils. See oilseeds
Seeds, beans, *Phaseolus vulgaris* var. Gardengreen, 209
—— maturing, Douglas fir, chemical comp, 522
—— peas, *Pisum sativum* var. Early Perfection and Surprise, 209
—— tree, *Pseudotsuga menziensii* F. (Douglas fir), lipids, 522
—— wheat, lipoxidase isoenzymes, 209
Sequential feedback inhibition, liver carbohydrate metabolism, 388
Serum, baboon, cholesterol in, 82
—— human, lipoprotein, 60
—— rat, epoxy-fatty acid content, 142
Serum lipoproteins, change with age and sex in a hypertriglyceridemic rat, 384
—— chimpanzee, fatty acid profile, 1
—— human, anal, 55
—— fatty acid profile, 1
—— paper electrophoresis method, 186
—— paper electrophoresis in buffer without albumin, 186
—— pre-β, paper electrophoresis without albumin, 186
—— peroxidized, fatty acid profile, 1
—— ultracentrifuge anal, 1
Sex, effect on liver phosphatidyl choline, 102
—— guinea pig, effect on liver phosphatidyl choline, 102
—— hamster, effect on liver phosphatidyl choline, 102
—— mouse, effect on liver phosphatidyl choline, 102
—— rabbit, effect on liver phosphatidyl choline, 102
—— rabbit fetus, effect on liver phosphatidyl choline, 102
—— rat, effect on liver phosphatidyl choline, 102
—— rat, effect on serum lipids, 384
—— rat, ethionine, on liver lipids, phospholipids, 401
—— rat, liver lipids, phospholipids, 401
—— rat, plasma lipids, phospholipids, 401
Sheep, erythrocytes, HK and LK, 350
—— red blood cells, HK and LK, 350
Sheep brain, gangliosides, 488
Sheep milk, triglyceride fatty acid profile, 562
Sheepshead (Aplodinotus grunniens), lipoxygenase oxidation, 441
Sialic acid. See neuraminic acid
Silver acetate, stabilize methyl galactosides, 167
Silver fish. See *Lepisma saccharina* L.
β-Sitosterol, in earthworms, 363
γ-Sitosterol, in earthworms, 363
Skeletal muscle, dog, carbon number distribution, 288
—— dog, triglyceride profile, 288
—— phospholipids from rat, human, bovine, mouse, frog, lobster, scallop, abalone, sea urchin, 599, 607
Skin, dog, cholesterol conc, effect of catecholamines, 533
—— human, surface lipids, 79
—— plasma cholesterol source, 123
Sodium borohydride, oxidation, 9
Sow milk, glyceride synthesis in freshly secreted milk, 168
Soybean cotyledon, cell-free fractions prep, 539
Soybean oil, hydrogenated (partial), as dietary fats, 501
—— partially hydrogenated, comp, GLC, fatty acid profile, 507
Species variability, heart muscle phospholipid comp, 607
—— kidney, liver, spleen, 599, 607
—— skeletal muscle phospholipid comp, 607
Spectra, electron spin resonance, lipid-protein interactions, 251
Spectra, infrared, *cis*-8(2-n-octylcyclopropan-l-yl) octadecanoic acid, 317
—— 6aβ-methyl-7β-(1(S)-acetylethyl)-2,3,4,6,6aβ,7,8,9,9aα,-9bβ-decahydro-1H-cyclopenta[f]quinolin-3-one 224
—— DL-2-hexadecoxy-3-octadecoxypropyl phosphonyl choline, 37
—— 2-hydroxy-*cis*-9, *cis*-12, *cis*-15-octadecatrienoic acid (18:3ω3) methyl ester, 9
—— hydroxy- and keto-fatty acids, 356
—— near, cholesterol in triglyceride solution, 526
—— *trans*-isomer dtmn, 627
Spectra, mass, aldehydes, 421
—— alk-l-enyl ethers, 421
—— cyclopentenyl fatty acids, 229
—— α,ω-diiodoalkanes, 225
—— dimethyl acetals, 421
—— 1,1-dimethoxy tetradecane, 421
—— hydroxylated polyunsaturated fatty acids, trimethylsilyl ethers, relative intensity of peaks, 619
—— linoleic acid (18:2ω4), hydroxylated TMS, relative intensity of peaks, 619
—— linoleic acid (18:2ω6), hydroxylated TMS, relative intensity of peaks, 619
—— linolenic acid (18:3ω4), hydroxylated TMS, relative intensity of peaks, 619
—— linolenic acid (18:3ω6), hydroxylated TMS, relative intensity of peaks, 619
—— metastable ion peaks, α,ω-diiodoalkanes, 225
—— 1-methoxy-1-tetradecene, 421
—— molecular ions, α,ω-diiodoalkanes, 225
—— phosphoglycerides pyrolysis products, 301
—— position of keto-in fatty acid methyl esters, 356
—— pyrolysis products of phosphoglycerides, 301
—— tetradecanal, 421
Spectra, mass-gas-liquid chromatography, fatty acids, 619
Spectra nuclear magnetic resonance, lipid-protein interactions, 251
—— nitrile-containing lipids, cyanogenetic lipid, 617
—— *cis*-8(2-n-octylcyclopropan-1-yl) octadecanoic acid, 317
—— 6aβ-methyl-7β-(1(S)-acetylethyl)-2,3,4,6,6aβ,7,8,9,9aα,-9bβ-decahydro-1H-cyclopenta[f]quinolin-3-one, 224
—— *cis*-8, *cis*-11, *cis*-14-heptadecatrienoic acid (17:3ω3) methyl ester, 9
—— 2-hydroxy-*cis*-9, *cis*-12, *cis*-15-octadecatrienoic acid (18:3ω3) methyl ester, 9
Spectra, optical rotatory dispersion, 6aβ-methyl-7β-(1(S)-acetylethyl)-2,3,4,6,6aβ,7,8,9,9aα,9bβ-decahydro-1H-cyclopenta[f]quinolin-3-one, 224
—— (-)-D-10-hydroxypalmitic acid, 356
—— 9-D-hydroxy-*cis*-12-octadecenoic acid methyl ester, 450
—— methyl 9-D-hydroxyoctadecanoic acid, methyl ester, 450
—— stearic acid, 356
—— 2-hydroxy-*cis*-9, *cis*-12, *cis*-15-octadecatrienoic acid (18:3ω3) methyl ester, 9
Spectra, ultra-violet, 6aβ-methyl-7β-(1(S)-acetylethyl)-2,3,4,6,6aβ,7,8,9,9aα,9bβ-decahydro-1H-cyclopenta[f]quinolin-3-one, 224
—— α-tocopheryl quinine, 629
Spectra, visible, hemes, 454
Spectra, x-ray, galactosyl ceramide powder pattern, 496
Spermatogenic tissue, rat essential fatty acid deficiency, 501
Spherosomes, electron microscopy, 177
—— lipase activity association with, 177
Sphing-4-enine, *Procambarus clarkii*, 244
—— See also sphingosine
tetradeca-4-Sphingenine, *Procambarus clarkii*, 244
Sphingolipid biosynthesis, galactosyl transferase, 270
Sphingolipidoses, classification, 176
Sphingolipids, brain gangliosides, comp, 488
—— galactose incorporation, rat brain, 163
—— ganglicsides, survey of 13 vertebrate species, 488
—— glucose incorporation, rat brain, 163
—— (glycolipids), TLC, 556
—— human brain, 550
—— multiple sclerosis, 550
—— Procambarus clarkii, isolation, dtmn, 244
—— profiles in Batten's disease, 76
—— stabilizing methyl galactosides after methanolysis, 167
Sphingomyelin, 599, 607
—— in bovine brain endothelial cells and nuclei, 234
—— brain mitochondria, human, 428
—— in developing pig spinal cord, congenital tremor, 623
—— fatty acid profile, sheep erythrocytes, HK and LK cells, 350
—— human aorta, effect of age, 232
—— human brain, 550
—— in human brain endothelial cells and nuclei, 234
—— in human erythrocytes, 544
—— in *Lepisma saccharina* L., 299
—— lung, rat, mouse, frog, bovine, human, 243
—— multiple sclerosis, 550
—— myelin, human, bovine, frog brain and spinal cord, 239
—— in rat liver, effect of diet, 77
—— rat testes metabolism, 41
—— rat testis metabolism, trilinolein, 93
—— in brain gangliosides, 488
—— brain, human, 550
—— human brain, 550
—— methanolysis, GLC, 550
—— in multiple sclerosis, 550
Sphingosine bases, *Procambarus clarkii*, isolation, dtmn, 244
14:Sphingosine, *Procambarus clarkii*, isolation, dtmn, 244
16:Sphingosine, *Procambarus clarkii*, isolation, dtmn, 244
18: and 20: Sphingosine, dtmn permanganate oxidation, 488
20-Sphingosine, brain gangliosides, 488
—— brain, human, 550

—— human brain, 550
—— methanolysis, GLC, 550
—— in multiple sclerosis, 550
N-(2-hydroxyacyl)-Sphingosine, TLC solvent system, 129
Spinal cord, bovine, myelin isolation, phospholipid comp, 239
—— frog, myelin isolation and phospholipid comp, 239
—— human, myelin isolation, phospholipid comp, 239
—— pig, fatty acid profile, 623
—— pig, phospholipid comp, 623
Spleen, phospholipids from rat, human, bovine, mouse, 599, 607
—— rat, radioactivity from hydroxy tetracosanoic acid, 129
Squalene, biosynthesis, inhibition by β-benzal butyric acid in liver, 190
—— biosynthesis in rat liver, inhibition, 190
Starch, seeds, Douglas fir radioactivity, 522
Stearate-1-^{14}C desaturation, soybean cotyledon, 539
Stearic acid, Δ9,10-desaturation by hen liver, inhibition by cyclopopenes, 265
Stearic acid, gangliosides, 488
—— methyl ester GLC, 129
—— of phospholipids, egg yolk, association with unsaturated fatty acids, 466
Stearic acid (18:0), docosanol (22:0 alc) ester, synthesis, melting point, 28
—— eicosanol (20:0 alc) ester, synthesis, melting point, 28
—— *cis*-9-hexadecenol (16:1ω7) ester, synthesis, melting point, 28
—— myristyl (14:0 alc) ester, synthesis, melting point, 28
—— *cis*-9-octadecenol (18:1ω9) ester, synthesis, melting point, 28
—— palmityl (16:0 alc) ester, synthesis, melting point, 28
—— stearyl (18:0 alc) ester, synthesis, melting point, 28
—— TLC solvent system, 129
Stearyl alcohol. See octadecanol (18:0 alc)
Sterculic acid, inhibitor of fatty acid Δ9,10-desaturase, 265
—— See 8-(2-n-octylcyclopropen-1-yl) octanoic acid (18:1ω9CP9)
Sterculyl alcohol, inhibitor of fatty acid Δ9,10-desaturase, 265
Stereospecific analysis, triglycerides, 197
—— of triglycerides in goat milk fat, 562
—— of triglycerides, method, 345
—— of triglycerides in sheep milk fat, 562
Stereospecific triglyceride analysis, cocoa butter, 444
Steroids, in adipose tissue, TLC, GLC, 369
—— in bovine muscle, adipose tissue, 369
—— in muscle, TLC, GLC, 369
Sterol esters, seeds, Douglas fir radioactivity, 522
Sterols, biosynthesis by rat liver *in vitro*, 190
—— earthworms, 363
—— seeds, Douglas fir radioactivity, 522
—— synthesis, inhibition by β-benzal butyric acid rat liver *in vitro*, 190
Stigmasterol, in earthworm, 363
Stomach, rat, radioactivity from hydroxy tetracosanoic acid, 129
Strongyloceutrotus franciscanus. See sea urchin
Strophanthus hispidus seed oil, fatty acid profile, 450
Structural protein, anal, 582
—— hydrophobic quantitative estimate, 582
—— rat liver microsome membrane, amino-acid comp, 582
—— See also protein, structural
Subcellular distribution, acid lipase in castor bean, 177
—— brain, frog, UDP-gal:galNAC-gal-glc-cer galactosyl transferase, 270
Subcellular fractions, brain endothelial cells phospholipid comp, 234
—— bovine myelin, isolation and phospholipid comp, 239
—— human myelin, isolation, phospholipid comp, 239
—— myelin, electron microscopy, 239
—— myelin, heavy, electron microscopy, 239
—— myelin, light, electron microscopy, 239
Sugars, seeds, Douglas fir radioactivity, 522
Sulfatides, human brain, 550
—— multiple sclerosis, 550
Sunflower seed oil, linoleic acid conc, 571
—— in rat diet, 571
—— See oilseeds, *Helianthus annuus*
Sunflower seeds, in gerbil diet, effect on fatty acid synthesis, mammary glands, 575

T

Tadpole brain, UDP-gal:galNAC-gal-glc-cer galactosyl transferase, 270
Tadpole kidney, USP-gal:galNAC-gal-glc-cer galactosyl transferase, 270
Tadpole liver, UDP-gal:galNAC-gal-glc-cer galactosyl transferase, 270
Tallow, beef, diet, rat, effect on fatty acid oxidation, 478
Taurochenodeoxycholic acids, in cholesterol-fed guinea pigs, 216
Tay-Sachs disease, ganglicsidoses, 76
—— See gangliosidoses
Temperature, effect on acid:CoA ligase, 459
—— effect on rat liver retinal oxidase, 109
—— effect on rat liver retinal reductase, 109
—— environmental, fat pad lipid content, rat, 413
—— rat adipose tissue comp, 413
—— rat growth effect, 413
Tenebrio molitor L. larvae, carnitine requirement, 293
—— phospholipid content, 293
Terminal aorta, dog, cholesterol, effect of catecholamines, 533
Testes, carcinoma, human brain lipids comp, 428
Testes, rat, cardiolipin, 515
—— cholesterol esters, essential fatty acid deficiency, 515
—— cholesterol, essential fatty acid deficiency, 515
—— essential fatty acid deficiency, 515
—— fatty acids, free, essential fatty acid deficiency, 515
—— glycerol phosphatides, poyl-, 515
—— lipid metabolism, 41
—— lipids, 515
—— neutral lipids, 515
—— phosphatidic acid, 515
—— phosphatidyl choline, 515
—— phosphatidyl ethanolamine, 515
—— phosphatidyl inositol, 515
—— phospholipids, 515
—— sphingomyelin, 515
—— triglycerides, essential fatty acid deficiency, 515
Testis, degeneration, rat essential fatty acid deficiency, 501
Testis, rat, lipid metabolism in, 93
—— temporal lipid metabolism, 93
—— trilinolein metabolism, 93
2-hydroxy Tetracosanoic acid, methyl ester, TLC solvent system, 129
—— TLC solvent system, 129
Tetradecanol, mass spectra, 421
Tetradecanol (14:0 alc). See also myristyl alcohol
Tetraglyceride, tetra-acyl, 450
Teucrium depressum seed oil, polyunsaturated fatty acids comp, 462
Thermal decomposition, dimethyl acetals, 421
Thiophenol, and diphenylphosphine catalyst in isomerization, 283
Thoracic aorta, dog, cholesterol, effect of catecholamines, 533
Thymus vulgaris L. (Labiatae), seed oil, 9
Tissue cholesterol, to plasma, rat, 123
Tissues, rat, absence of cholesterol epoxide, 142
—— cholesterol conc, 147
—— epoxy-fatty acid content, 142
TMS (trimethylsilyl). See parent compound
Tobacco budworm, lipid content, 159
—— lipid extraction, 159
—— metamorphic stages, triglyceride profiles, 159
—— triglyceride profiles, 159
—— See also *Heliothis virescens* (F.)
α-Tocopherol, oxidation by carbon tetrachloride in ethanol, 629
α-Tocopheryl quinone, oxidation product of α-tocopherol, 629
—— UV spectra, 629
Tree, *Pseudotsuga menziensii* F. (Douglas fir) seed lipids, 522
Trematoda, *Schistosoma mansoni,* fatty acid profile, 31
Trichogastes cosby, gouramis fish, 303
Tricosanoic acid, methyl ester GLC, 129
Tridecanoic acid, Δ9,10-desaturation by hen liver, inhibition by cyclopropenes, 265
13-(cyclopent-2-enyl) Tridecanoic acid, mass spectra and methyl ester, 229
13-(cyclopent-2-enyl) Tridec-6-enoic acid, mass spectra and methyl ester, 229
Triglyceride cycle, ethionine and role of phospholipids, in dogs, 408
—— ethionine, role of phospholipids, rat, 401
—— liver phospholipid synthesis role in rat, 401
—— liver triglyceride accumulation after ethionine, 401
—— plasma phospholipid turnover, dogs, 408
—— plasma phospholipid turnover, ethionine-induced alterations, rat, 401
—— plasma phospholipid turnover, ethionine-induced alterations, dogs, 408
—— phospholipid turnover during hepatic triglyceride accumulation, dog, 408
—— phospholipids role, liver and plasma, rat, 401
Triglyceride isomers. See triglycerides, positional distribution of fatty acids
Triglyceride molecular species, in goat milk fat, 562
—— in sheep milk fat, 562
Triglyceride profile, pig adipose tissue, effect of dietary copper, 345
—— stereospecific, cocoa butter, 444
Triglycerides, acyl hydroxy fatty acid containing, 450

—— adipose tissue, pig, comp, physical properties, effect of dietary copper, 345
—— bovine milk fat, structure, 197
—— calculation, number of possible classes, 246
—— carbon number distribution, 288
—— from *Carlina acaulis* L., 99
—— from *Carlina corymbosa* L., 99
—— change with age and sex in a hypertriglyceridemic rat, 384
—— in choline deficiency, rat, 67
—— comp human low-density lipoprotein, 337
—— containing epoxy-fatty acids, 142
—— from *Coriaria myrtifolia*, 99
—— from *Dimorphotheca sinuata*, 99
—— docohexaenoic acid in *Schistosoma mansoni*, 31
—— from *Euphorbia lagascae*, 99
—— fatty acid profile, goat milk, 562
—— fatty acid profile, sheep milk, 562
—— fatty acid profile, *Schistosoma mansoni*, 31
—— GLC, 159
—— GLC, TLC, 197
—— heptadecanoic acid incorporation, 615
—— human serum in disease, 60
—— hydrogen bonding to cholesterol, 526
—— hydrolysis, castor bean acid lipase, 261
—— in *Lepisma saccharina* L., 299
—— long chain lengths, 197
—— monounsaturated, stereospecific anal, 444
—— mouse preputial gland, fatty acid profile, 435
—— from oilseeds, 99
—— in peroxidized serum lipoproteins, 1
—— positional distribution of fatty acids, 197
—— positional distribution of fatty acids, pig adipose tissue, 345
—— positional isomers, pig adipose tissue, 345
—— positional specificity studies, acid lipase, 261
—— rat serum, effect of adrenalectomy, 115
—— rat serum, effect of triglyceride ingestion, 115
—— rat testes metabolism, 41
—— rat testis metabolism, 93
—— rat testis metabolism, trilinolein, 93
—— resolution of mixtures, 246
—— seeds, Douglas fir radioactivity, 522
—— as solvents for cholesterol, 526
—— species, pig adipose tissue, effect of dietary copper, 345
—— stereospecific anal, 197, 562
—— stereospecific anal, method, 345
—— structure dtmn, 246
—— synthesis in freshly secreted sow milks, 168
—— vernolic acid containing, 99
Trihexosyl ceramide, biosynthesis in bone marrow cells, 556
—— pig leucocytes, comp, 556
—— pig leucocytes, hexose content, 556
3α, 7α, 12α-Trihydroxycholanoic acid. See also cholic acid
3α-, 7α-, 12α-Trihydroxycoprostanic acid, in baboon bile, 82
—— synthesis from cholesterol, 82
Trilinolein, emulsion for injection, 93
—— in rat testis, metabolism of, 93
Trimethylsilyl esters, of alkane diols, 170
Trimethylsilyl ether derivatives, hydroxyl polyunsaturated fatty acid, 619
Tripalmitin, TLC solvent system, 129
Trisialo-. See tri-neuraminyl
Trivernolin, *Erlangea tomentosa* seed oil, 473
—— oilseeds, 99
—— prep from *Veronia anthelmintica* seed oil, 142
—— rat diet supplement, 142
—— rat tissues, 142
Tullibee *(Coregonus artedii),* lipoxygenase oxidation, 441
Turnover, relative, of individual molecular species of rat liver phospholipids, 304
Turnover rate, calculation, 408
Turnover time, calculation, 408

U

UDP-2-Acetylamino-2-deoxy-D-galactose:glycolipid acetylaminodeoxygalactose transferase, rat brain, 589
UDP-(N-acetyl)Galactosamine-gal-glc-cer N-acetyl galactosamine transferase, rat brain, 589
UDP-(N-acetyl)-1-^{14}C Galactosamine, prep, 589
UDP Galactose-C^{14}, incorporation into brain sphingolipids, 163
UDP-(N-acetyl)Glucosamine-4′-epimerase, rat brain, 589
UDP-(N-acetyl)-1-^{14}C-Glucosamine, prep, 589
Ultracentrifuge, analytical, comparison with agarose gel and paper electrophoresis, 55
—— analytical, lipoprotein anal, human, 60
—— analytical, lipoproteins anal, human, 55
Ultracentrifuge analysis, of peroxidized serum lipoproteins, 1
—— of serum lipoproteins, 1
11-(cyclopent-2-enyl) Undecanoic acid, mass spectra and methyl ester, 229
Unsaponifiables, lipids, earthworms, 363
trans-Unsaturation, dtmn by IR and GLC, 627
Uridine diphospho-. See UDP-

V

Vaccenic acid, methyl ester, *cis-trans* equilibrium, 283
—— See also *trans*-11-octadecenoic acid
Vanadyl sulfate, effect on β-carotene biosynthesis by bovine corpus luteum tissue, 227
Variability of lipid composition, of different species, 607
Vegetable oils, hydrogenated (partial), as dietary fats, 501
Vernolic acid. See also vernolin
—— See *cis*-12,13-epoxy-9-octadecenoic acid
—— See *cis*-12,13-epoxy-*cis*-9-octadecenoic acid (18:1ω9E12)
—— See D-(+)-*cis*-12,13-epoxyoleic acid
Vernolin, rat tissues, 142
—— See also mono-, di-, tri- vernolin
Vernix caseosa, diesters, 170
—— lipids, 170
Vertebrates, lung, phospholipid comp, 243
Vinyl methyl ethers, mass spectra, 421
Vitamin A acetate, oxidation by carbon tetrachloride in ethanol, 629
Vitamin B_{12}, deficiency in rat caused by unsaturated fatty acids or propionic acid diet, 478

W

Water, bound to phospholipids, 251
—— effects on lipid-lipid interactions, 251
—— effect on lipid transition temps, 251
—— effects on properties of phospholipids, 251
—— phospholipids, phase polymorphism, 251
Wax esters, chromatography, column, TLC, GLC, 28
—— fish roe, comp, 303
—— melting points, 28
—— mouse preputial gland, fatty acid profile, 435
—— mouse preputial gland, fatty alcohol profile, 435
—— saturated, monoenoic, dienoic, 28
—— synthesis, 28
—— See specific fatty acid
Whale (Balaenoptera physalus), lipoxygenase oxidation, 441
Whale oil. See oil, whale
Wheat break shorts, lipoxidase isoenzymes, 209
Wick method, radioactive plant lipids prep, 484

X-Y-Z

Xanthomatosis, human serum lipoprotein in, 60